




# HIV AMONG MSM IN MARYLAND, 2014


AUGUST 2016

## New HIV Diagnoses

- Of the **1,230** reported adult/adolescent HIV diagnoses (age 13+) in Maryland in 2014, **53.3%** of those with a reported exposure were among **Men who have Sex with Men (MSM)** and **0.9%** were among **Men who have Sex with Men and Inject Drugs (MSM/IDU)**.
- Of the **871 male** HIV diagnoses in 2014 in Maryland, **74.3%** of those with a reported exposure were **MSM** and **1.2%** were **MSM/IDU**.
- Of the **418 male** AIDS diagnoses, **62.9%** of those with an exposure were **MSM** and **1.9%** were **MSM/IDU**.




- The proportion of HIV diagnoses in Maryland that were among **MSM** has steadily **increased** over the past 10 years.



## Characteristics of MSM Living with HIV

### Race/Ethnicity

- 62.2% NH Black**
- 25.0% NH White
- 6.7% Hispanic
- 6.1% NH Other



NH: Non-Hispanic

### Current Age Groups

- 26.5% 50's**
- 22.5% 30's
- 22.4% 40's
- 17.0% 20's
- 11.4% 60+
- 0.2% Teens

- Of the **23,360** total living HIV cases (diagnosed at age 13+) as of 12/31/2014 in Maryland with a reported exposure, **35.1% (8,204)** were among **MSM** and **3.4% (784)** were among **MSM/IDU**.

- Of the total living **male** HIV cases in Maryland with a reported exposure as of 2014, **52.1%** were among **MSM** and **5.0%** were among **MSM/IDU**.
- Of the total living HIV cases in Maryland among MSM at the time of diagnosis, **62.2%** were **NH black** and **26.5%** were males **in their 50's**.
- Of the **8,204** total living HIV cases among MSM in Maryland, about half (**53.4%**) had a **viral load test** result reported in 2014. Of those **4,378** with a reported test result, **76.2%** had a **suppressed viral load**.

**MSM:** Men who have Sex with Men | **HET:** Heterosexual Exposure | **IDU:** Injection Drug User