

Maryland Prostate Cancer Program Information
 Maryland Department of Health and Mental Hygiene
 Cancer Prevention, Education, Screening and Treatment Program (CPEST)
 Cigarette Restitution Fund Program (CRFP), Center for Cancer Surveillance and Control

Report Period: January 2000 – December 31, 2007


Overall Goals: Decrease cancer mortality; Reduce disparities among minorities

Local Public Health Activities

- Form Local Community Health Coalitions
- Write Local Comprehensive Cancer Plans
- Implement Plans:
 - Educate the population
 - Screen those with low income and un- or under-insured
 - Treat or “link” to treatment

Education

Statewide Number Educated about Prostate Cancer—July, 2000-December 31, 2007: 138,053 people in brief, group, or individual sessions (128,401 general public, 6,897 health care professional, 2,755 trainers); 13 out of 24 jurisdictions educated for prostate cancer in FY07



*The number of persons educated includes any session where prostate cancer was selected in the EDB.

^A person can be educated more than once.

**Interval is for 6-month period.

Prostate Messages Targeted via Media and Resource Materials
July 2000 - December 31, 2007:


>15.4 million people potentially reached through, e.g., TV, radio, and print media, etc.

Public Health Screening for Prostate Cancer
Prostate Cancer Screening by Minority Race/Ethnicity and Gender
January 2000 – December 31, 2007:

3,296 people screened for Prostate Cancer in six jurisdictions (Baltimore City; Baltimore, Garrett, Montgomery, Talbot, and Washington counties) (includes many screened with PSA and DRE who are not low income or uninsured):


- 86% minority men
- 11% non-minority men
- 3% unknown minority status

Findings among 3,959 Prostate Cancer Screenings*
January 2000 – December 31, 2007:




*Note: This does not include 122 men screened in Baltimore County in FY03.

Final Outcome among 552 men with finding of Abnormal, Rule Out Cancer on Screening, January 2000 – December 31, 2007:



Current Prostate Screening Status of Maryland Men Eligible for Screening According to American Cancer Society (ACS) Guidelines*

Population-Based Maryland Cancer Survey, 2002, 2004, 2006



*ACS recommends annual prostate screening beginning at age 50 for men of average risk and earlier, at age 45 years, for men at increased risk (African Americans and men who have a first-degree relative with prostate cancer). This analysis includes men age ≥ 50 years and African American men age ≥ 45 years.

**UTD: Up-to-date within the last year

For the Maryland Cancer Survey reports go to:
http://www.fha.state.md.us/cancer/surveillance/html/data_reports.cfm

For Information, please contact Diane Dwyer, MD, 410-767-5088 or Carmela Groves, RN, MS, 410-767-2616.