

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 19.1 | (15.5 - 23.3) | 1,023 | 24.2 | (19.7 - 29.4) | 530 | 12.8 | (9.6 - 16.9) | 488 |
| 15 or younger | 20.2 | (16.1 - 25.1) | 458 | 25.0 | (20.0 - 30.8) | 234 | 13.8 | (9.4 - 19.9) | 219 |
| 16 or 17 | 16.4 | (12.4 - 21.5) | 485 | 21.9 | (16.2 - 28.9) | 249 | 10.3 | (6.5 - 16.0) | 236 |
| 18 or older | - | - | 79 | - | - | 46 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 20.4 | (15.5 - 26.3) | 296 | 22.9 | (17.8 - 29.0) | 152 | 16.2 | (10.4 - 24.4) | 142 |
| 10th | 18.6 | (12.6 - 26.6) | 241 | 26.0 | (18.1 - 35.9) | 136 | 8.5 | (4.0 - 17.1) | 104 |
| 11th | 17.8 | (12.3 - 24.9) | 273 | 20.7 | (13.1 - 31.0) | 127 | 15.0 | (8.8 - 24.3) | 146 |
| 12th | 16.5 | (10.0 - 26.0) | 195 | 24.4 | (16.3 - 34.8) | 106 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 15.5 | (12.3 - 19.3) | 853 | 20.8 | (16.3 - 26.1) | 424 | 9.9 | (6.7 - 14.3) | 428 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 4 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 26.8 | (23.5 - 30.5) | 1,018 | 29.3 | (25.0 - 34.0) | 529 | 24.0 | (19.7 - 29.0) | 485 |
| Age | | | | | | | | | |
| 15 or younger | 27.1 | (23.8 - 30.7) | 455 | 29.4 | (23.9 - 35.5) | 234 | 24.7 | (20.1 - 29.9) | 217 |
| 16 or 17 | 24.4 | (19.7 - 29.8) | 483 | 27.4 | (21.6 - 34.1) | 248 | 21.1 | (15.3 - 28.4) | 235 |
| 18 or older | - | - | 79 | - | - | 46 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 23.9 | (20.3 - 28.0) | 294 | 24.4 | (18.9 - 31.0) | 152 | 23.8 | (18.5 - 30.0) | 140 |
| 10th | 27.4 | (21.9 - 33.6) | 240 | 28.1 | (20.4 - 37.4) | 135 | 25.6 | (17.5 - 35.8) | 104 |
| 11th | 23.7 | (17.2 - 31.8) | 273 | 29.5 | (20.8 - 40.1) | 127 | 18.2 | (11.1 - 28.2) | 146 |
| 12th | 30.6 | (24.5 - 37.4) | 194 | 33.3 | (25.3 - 42.4) | 106 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 28 |
| White* | 23.3 | (20.2 - 26.9) | 851 | 25.9 | (21.2 - 31.2) | 424 | 20.8 | (16.7 - 25.5) | 426 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 9 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN11: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-----|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.3 | (13.0 - 20.3) | 520 | 20.8 | (16.9 - 25.3) | 277 | 11.1 | (7.5 - 16.2) | 242 |
| Age | | | | | | | | | |
| 15 or younger | 21.4 | (14.5 - 30.4) | 131 | - | - | 81 | - | - | 49 |
| 16 or 17 | 12.2 | (9.1 - 16.3) | 334 | 17.5 | (12.8 - 23.7) | 162 | 7.0 | (4.0 - 12.1) | 172 |
| 18 or older | - | - | 55 | - | - | 34 | - | - | 21 |
| Grade | | | | | | | | | |
| 9th | - | - | 72 | - | - | 43 | - | - | 28 |
| 10th | 14.5 | (9.0 - 22.4) | 105 | - | - | 70 | - | - | 35 |
| 11th | 11.3 | (7.3 - 17.0) | 193 | - | - | 88 | 3.6 | (1.4 - 8.8) | 105 |
| 12th | 18.6 | (13.3 - 25.4) | 142 | - | - | 72 | - | - | 70 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 7 | - | - | 5 | - | - | 2 |
| Hispanic/Latino | - | - | 25 | - | - | 11 | - | - | 14 |
| White* | 11.6 | (8.6 - 15.6) | 438 | 16.7 | (12.5 - 22.0) | 226 | 6.0 | (3.4 - 10.6) | 212 |
| All other races | - | - | 16 | - | - | 9 | - | - | 6 |
| Multiple races | - | - | 18 | - | - | 13 | - | - | 5 |

Note: 507 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN12: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 46.4 | (40.2 - 52.7) | 534 | 47.4 | (39.6 - 55.4) | 285 | 45.4 | (37.4 - 53.6) | 248 |
| Age | | | | | | | | | |
| 15 or younger | 36.4 | (28.9 - 44.7) | 136 | - | - | 83 | - | - | 52 |
| 16 or 17 | 46.0 | (38.7 - 53.5) | 339 | 44.7 | (36.0 - 53.8) | 165 | 47.4 | (37.0 - 57.9) | 174 |
| 18 or older | - | - | 59 | - | - | 37 | - | - | 22 |
| Grade | | | | | | | | | |
| 9th | - | - | 77 | - | - | 45 | - | - | 31 |
| 10th | 28.7 | (18.9 - 40.9) | 105 | - | - | 71 | - | - | 34 |
| 11th | 35.2 | (29.5 - 41.3) | 192 | - | - | 87 | 33.0 | (26.3 - 40.4) | 105 |
| 12th | 67.0 | (59.6 - 73.7) | 151 | - | - | 77 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 5 | - | - | 3 |
| Hispanic/Latino | - | - | 27 | - | - | 12 | - | - | 15 |
| White* | 43.3 | (36.9 - 49.9) | 447 | 45.1 | (36.8 - 53.6) | 232 | 41.3 | (33.1 - 50.0) | 215 |
| All other races | - | - | 16 | - | - | 8 | - | - | 7 |
| Multiple races | - | - | 20 | - | - | 15 | - | - | 5 |

Note: 493 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 33.7 | (29.2 - 38.5) | 1,013 | 47.4 | (41.7 - 53.1) | 523 | 18.0 | (14.6 - 22.1) | 486 |
| Age | | | | | | | | | |
| 15 or younger | 34.8 | (29.9 - 40.0) | 450 | 50.9 | (43.8 - 58.1) | 231 | 16.3 | (12.6 - 20.9) | 215 |
| 16 or 17 | 32.2 | (26.1 - 38.9) | 484 | 46.4 | (38.8 - 54.1) | 246 | 16.8 | (11.5 - 23.7) | 238 |
| 18 or older | - | - | 78 | - | - | 45 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 34.2 | (29.3 - 39.5) | 293 | 48.2 | (40.3 - 56.2) | 151 | 17.5 | (13.3 - 22.6) | 140 |
| 10th | 36.0 | (27.4 - 45.5) | 241 | 49.8 | (38.0 - 61.6) | 136 | 18.0 | (12.6 - 25.0) | 104 |
| 11th | 28.6 | (21.7 - 36.7) | 270 | 44.9 | (36.4 - 53.7) | 123 | 13.7 | (7.7 - 23.0) | 147 |
| 12th | 34.9 | (24.8 - 46.6) | 192 | 47.2 | (34.4 - 60.3) | 104 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 54 | - | - | 29 | - | - | 25 |
| White* | 30.8 | (26.0 - 35.9) | 854 | 46.4 | (40.0 - 52.8) | 423 | 14.8 | (11.5 - 18.8) | 430 |
| All other races | - | - | 26 | - | - | 15 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.4 | (8.6 - 14.9) | 1,010 | 15.9 | (11.8 - 21.0) | 519 | 5.8 | (3.9 - 8.5) | 486 |
| Age | | | | | | | | | |
| 15 or younger | 10.0 | (7.1 - 14.1) | 449 | 14.5 | (9.8 - 21.1) | 229 | 3.7 | (2.0 - 6.7) | 215 |
| 16 or 17 | 10.3 | (7.2 - 14.7) | 482 | 14.8 | (10.2 - 20.9) | 244 | 5.5 | (2.7 - 11.0) | 238 |
| 18 or older | - | - | 78 | - | - | 45 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 6.5 | (4.2 - 9.9) | 291 | 7.3 | (4.4 - 11.8) | 149 | 4.6 | (2.2 - 9.4) | 140 |
| 10th | 13.3 | (8.1 - 21.0) | 241 | 20.4 | (13.1 - 30.3) | 136 | 3.5 | (1.4 - 8.4) | 104 |
| 11th | 9.1 | (5.8 - 14.1) | 271 | 13.3 | (8.0 - 21.2) | 124 | 5.3 | (2.6 - 10.5) | 147 |
| 12th | 16.5 | (10.6 - 24.7) | 189 | 23.5 | (14.5 - 35.8) | 101 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 54 | - | - | 28 | - | - | 25 |
| White* | 8.7 | (6.2 - 12.3) | 851 | 14.7 | (10.4 - 20.3) | 420 | 2.8 | (1.4 - 5.5) | 430 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 17 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.0 | (5.2 - 9.3) | 1,018 | 8.0 | (6.0 - 10.5) | 525 | 5.6 | (3.4 - 9.1) | 488 |
| Age | | | | | | | | | |
| 15 or younger | 6.5 | (4.6 - 9.2) | 451 | 7.4 | (4.5 - 11.9) | 229 | 5.0 | (2.9 - 8.7) | 218 |
| 16 or 17 | 6.4 | (4.1 - 9.7) | 488 | 7.5 | (4.9 - 11.4) | 250 | 5.1 | (2.1 - 11.7) | 238 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 7.0 | (4.3 - 11.0) | 295 | 7.6 | (4.1 - 13.9) | 151 | 5.3 | (2.7 - 10.1) | 142 |
| 10th | 5.1 | (2.8 - 9.0) | 240 | 6.9 | (3.3 - 13.9) | 135 | 3.0 | (1.0 - 8.5) | 104 |
| 11th | 5.0 | (3.0 - 8.3) | 274 | 5.6 | (2.7 - 11.4) | 126 | 4.4 | (2.0 - 9.5) | 148 |
| 12th | 9.1 | (5.4 - 14.8) | 192 | 10.4 | (6.2 - 17.0) | 104 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 55 | - | - | 28 | - | - | 27 |
| White* | 4.5 | (3.1 - 6.5) | 854 | 5.2 | (3.4 - 7.9) | 423 | 3.8 | (2.1 - 7.1) | 430 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 9 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 9.8 | (7.6 - 12.7) | 1,023 | 11.6 | (8.7 - 15.2) | 528 | 7.1 | (4.9 - 10.2) | 489 |
| 15 or younger | 11.5 | (9.0 - 14.5) | 455 | 13.5 | (9.7 - 18.5) | 232 | 7.8 | (5.0 - 11.9) | 218 |
| 16 or 17 | 7.8 | (4.9 - 12.2) | 487 | 10.4 | (6.2 - 16.8) | 249 | 5.0 | (2.4 - 9.8) | 238 |
| 18 or older | - | - | 79 | - | - | 46 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 9.6 | (6.7 - 13.5) | 296 | 11.4 | (7.4 - 17.3) | 152 | 6.6 | (3.7 - 11.6) | 142 |
| 10th | 10.1 | (6.9 - 14.5) | 239 | 11.0 | (6.4 - 18.5) | 135 | 7.7 | (4.2 - 13.9) | 103 |
| 11th | 6.3 | (3.6 - 10.8) | 275 | 10.2 | (5.7 - 17.5) | 127 | 2.6 | (1.0 - 7.0) | 148 |
| 12th | 10.8 | (6.2 - 18.0) | 194 | 12.7 | (7.1 - 21.6) | 105 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 29 | - | - | 28 |
| White* | 6.7 | (4.8 - 9.3) | 853 | 8.4 | (5.4 - 12.7) | 423 | 5.0 | (3.3 - 7.6) | 429 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 4 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 14.4 | (12.0 - 17.3) | 1,002 | 16.0 | (12.9 - 19.8) | 520 | 12.3 | (9.5 - 15.7) | 477 |
| Age | | | | | | | | | |
| 15 or younger | 16.9 | (13.1 - 21.6) | 442 | 19.0 | (13.8 - 25.5) | 226 | 13.9 | (10.0 - 19.0) | 211 |
| 16 or 17 | 10.1 | (7.5 - 13.5) | 482 | 11.4 | (8.1 - 15.9) | 247 | 8.7 | (5.3 - 14.1) | 235 |
| 18 or older | - | - | 77 | - | - | 46 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 18.7 | (13.7 - 25.0) | 284 | 20.7 | (14.3 - 29.0) | 146 | 15.7 | (10.3 - 23.1) | 136 |
| 10th | 12.6 | (8.4 - 18.4) | 237 | 12.9 | (7.2 - 22.1) | 133 | 11.1 | (6.1 - 19.4) | 103 |
| 11th | 6.3 | (4.2 - 9.3) | 270 | 8.5 | (5.0 - 13.9) | 127 | 4.2 | (2.0 - 8.7) | 143 |
| 12th | 17.2 | (12.0 - 24.0) | 193 | 19.2 | (14.2 - 25.4) | 105 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 28 | - | - | 27 |
| White* | 11.1 | (8.6 - 14.2) | 839 | 12.4 | (8.9 - 16.9) | 419 | 9.8 | (7.2 - 13.2) | 419 |
| All other races | - | - | 26 | - | - | 15 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 25 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.4 | (9.2 - 14.0) | 1,001 | 9.3 | (6.9 - 12.3) | 515 | 13.7 | (10.6 - 17.7) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 11.3 | (8.3 - 15.3) | 438 | 8.6 | (5.5 - 13.2) | 222 | 14.2 | (9.6 - 20.5) | 214 |
| 16 or 17 | 8.8 | (6.2 - 12.3) | 483 | 6.8 | (4.1 - 11.1) | 246 | 11.0 | (7.3 - 16.2) | 237 |
| 18 or older | - | - | 79 | - | - | 46 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 9.9 | (6.8 - 14.2) | 287 | 6.8 | (3.7 - 12.2) | 147 | 13.3 | (8.6 - 20.0) | 139 |
| 10th | 10.2 | (7.2 - 14.3) | 238 | 8.3 | (4.5 - 14.9) | 135 | 12.6 | (7.4 - 20.7) | 103 |
| 11th | 10.2 | (7.1 - 14.7) | 269 | 8.3 | (4.4 - 15.1) | 121 | 12.0 | (7.5 - 18.7) | 148 |
| 12th | 12.8 | (7.7 - 20.6) | 191 | 12.9 | (8.0 - 20.2) | 104 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 55 | - | - | 28 | - | - | 27 |
| White* | 8.3 | (6.5 - 10.5) | 848 | 5.9 | (3.9 - 8.8) | 421 | 10.7 | (8.0 - 14.3) | 426 |
| All other races | - | - | 25 | - | - | 14 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 26 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN22: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.3 | (8.1 - 12.9) | 748 | 9.4 | (6.7 - 13.1) | 367 | 10.4 | (7.6 - 14.1) | 377 |
| Age | | | | | | | | | |
| 15 or younger | 11.7 | (8.2 - 16.4) | 313 | 8.0 | (4.0 - 15.2) | 147 | 13.8 | (9.4 - 19.7) | 163 |
| 16 or 17 | 8.9 | (6.5 - 12.1) | 372 | 9.8 | (6.7 - 14.0) | 185 | 8.0 | (4.5 - 13.6) | 187 |
| 18 or older | - | - | 61 | - | - | 34 | - | - | 27 |
| Grade | | | | | | | | | |
| 9th | 11.1 | (7.0 - 17.3) | 196 | - | - | 95 | 13.5 | (8.0 - 21.8) | 100 |
| 10th | 10.5 | (6.9 - 15.5) | 178 | - | - | 95 | - | - | 83 |
| 11th | 10.9 | (7.3 - 16.0) | 207 | - | - | 90 | 9.1 | (4.6 - 17.2) | 117 |
| 12th | 6.8 | (3.9 - 11.6) | 151 | - | - | 80 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 11 | - | - | 7 | - | - | 4 |
| Hispanic/Latino | - | - | 38 | - | - | 17 | - | - | 20 |
| White* | 7.9 | (6.1 - 10.1) | 639 | 6.5 | (4.2 - 10.1) | 302 | 9.2 | (6.4 - 13.1) | 337 |
| All other races | - | - | 16 | - | - | 9 | - | - | 6 |
| Multiple races | - | - | 22 | - | - | 14 | - | - | 7 |

Note: 279 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN23: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.0 | (8.8 - 13.7) | 745 | 9.3 | (6.8 - 12.6) | 364 | 12.0 | (8.9 - 16.0) | 377 |
| Age | | | | | | | | | |
| 15 or younger | 13.5 | (9.9 - 18.1) | 312 | 9.2 | (4.8 - 16.8) | 145 | 16.0 | (11.3 - 22.2) | 164 |
| 16 or 17 | 8.0 | (5.4 - 11.7) | 369 | 7.6 | (4.5 - 12.4) | 183 | 8.5 | (5.2 - 13.6) | 186 |
| 18 or older | - | - | 62 | - | - | 35 | - | - | 27 |
| Grade | | | | | | | | | |
| 9th | 13.1 | (8.9 - 18.9) | 196 | - | - | 94 | 17.0 | (10.9 - 25.5) | 101 |
| 10th | 9.0 | (6.0 - 13.3) | 176 | - | - | 93 | - | - | 83 |
| 11th | 8.0 | (4.5 - 13.9) | 205 | - | - | 89 | 8.1 | (3.8 - 16.2) | 116 |
| 12th | 10.3 | (6.7 - 15.6) | 151 | - | - | 80 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 11 | - | - | 7 | - | - | 4 |
| Hispanic/Latino | - | - | 38 | - | - | 17 | - | - | 20 |
| White* | 7.6 | (5.8 - 10.0) | 636 | 6.0 | (3.7 - 9.5) | 300 | 9.2 | (6.3 - 13.1) | 336 |
| All other races | - | - | 17 | - | - | 9 | - | - | 7 |
| Multiple races | - | - | 22 | - | - | 14 | - | - | 7 |

Note: 282 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN24: Percentage of students who had ever been bullied on school property during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 22.6 | (19.5 - 26.1) | 1,010 | 19.2 | (15.7 - 23.2) | 523 | 26.4 | (21.8 - 31.5) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 30.2 | (25.3 - 35.7) | 446 | 29.1 | (23.7 - 35.1) | 228 | 31.5 | (24.5 - 39.3) | 214 |
| 16 or 17 | 16.4 | (13.4 - 20.1) | 485 | 11.6 | (8.2 - 16.1) | 249 | 21.9 | (16.4 - 28.6) | 236 |
| 18 or older | - | - | 78 | - | - | 45 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 34.9 | (29.4 - 40.9) | 293 | 33.2 | (27.7 - 39.3) | 150 | 36.3 | (27.9 - 45.7) | 141 |
| 10th | 19.9 | (15.4 - 25.2) | 238 | 16.2 | (11.0 - 23.1) | 135 | 24.8 | (17.4 - 34.0) | 102 |
| 11th | 16.9 | (13.2 - 21.2) | 272 | 10.5 | (6.1 - 17.5) | 125 | 22.8 | (16.1 - 31.2) | 147 |
| 12th | 17.0 | (12.4 - 22.9) | 191 | 15.7 | (11.2 - 21.6) | 105 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 31 | - | - | 27 |
| White* | 20.1 | (17.1 - 23.6) | 848 | 16.1 | (12.6 - 20.3) | 421 | 24.3 | (20.0 - 29.2) | 426 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 17 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN25: Percentage of students who had ever been electronically bullied during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 14.4 | (12.0 - 17.2) | 1,005 | 9.3 | (6.9 - 12.6) | 518 | 20.1 | (16.5 - 24.2) | 484 |
| 15 or younger | 15.6 | (12.1 - 20.0) | 446 | 8.6 | (5.8 - 12.5) | 227 | 23.3 | (17.9 - 29.8) | 216 |
| 16 or 17 | 12.3 | (9.3 - 16.1) | 480 | 8.6 | (5.5 - 13.4) | 244 | 16.3 | (11.9 - 21.8) | 236 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 18.7 | (14.3 - 24.1) | 290 | 10.5 | (7.2 - 15.1) | 148 | 27.7 | (20.9 - 35.7) | 141 |
| 10th | 11.0 | (7.2 - 16.4) | 238 | 5.9 | (2.7 - 12.7) | 135 | 17.3 | (11.4 - 25.3) | 103 |
| 11th | 11.2 | (7.9 - 15.6) | 268 | 5.7 | (2.7 - 11.5) | 121 | 16.1 | (10.7 - 23.7) | 147 |
| 12th | 15.4 | (10.8 - 21.6) | 191 | 14.0 | (8.4 - 22.4) | 105 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 27 |
| White* | 12.5 | (10.2 - 15.2) | 847 | 6.8 | (4.8 - 9.8) | 419 | 18.2 | (14.7 - 22.4) | 427 |
| All other races | - | - | 24 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 22 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 20.9 | (17.8 - 24.3) | 996 | 17.3 | (13.2 - 22.5) | 510 | 24.9 | (20.9 - 29.3) | 483 |
| 15 or younger | 22.0 | (17.7 - 27.1) | 442 | 16.1 | (11.8 - 21.7) | 223 | 28.5 | (21.5 - 36.6) | 216 |
| 16 or 17 | 19.6 | (15.6 - 24.2) | 478 | 18.0 | (12.3 - 25.5) | 242 | 21.3 | (16.7 - 26.8) | 236 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 23.2 | (18.1 - 29.3) | 288 | 18.3 | (12.5 - 25.9) | 146 | 28.6 | (20.6 - 38.1) | 141 |
| 10th | 20.2 | (14.3 - 27.6) | 235 | 14.5 | (8.9 - 22.7) | 130 | 27.2 | (17.1 - 40.3) | 104 |
| 11th | 17.1 | (12.6 - 22.9) | 271 | 11.6 | (6.6 - 19.6) | 123 | 22.2 | (15.8 - 30.2) | 148 |
| 12th | 20.3 | (13.7 - 29.0) | 187 | 21.4 | (12.3 - 34.6) | 103 | - | - | 84 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 11 | - | - | 5 |
| Hispanic/Latino | - | - | 55 | - | - | 29 | - | - | 26 |
| White* | 19.2 | (16.1 - 22.7) | 842 | 15.9 | (11.9 - 20.9) | 414 | 22.5 | (18.4 - 27.3) | 427 |
| All other races | - | - | 27 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 31 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN27: Percentage of students who seriously considered attempting suicide during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 14.8 | (12.4 - 17.5) | 1,003 | 12.9 | (9.9 - 16.6) | 517 | 16.5 | (13.2 - 20.5) | 482 |
| 15 or younger | 15.7 | (12.3 - 19.8) | 442 | 11.7 | (7.9 - 16.9) | 225 | 19.5 | (15.0 - 24.9) | 214 |
| 16 or 17 | 12.7 | (9.8 - 16.2) | 481 | 12.1 | (8.3 - 17.2) | 246 | 13.4 | (9.7 - 18.3) | 235 |
| 18 or older | - | - | 78 | - | - | 45 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 17.8 | (13.4 - 23.3) | 291 | 12.3 | (7.7 - 19.1) | 149 | 23.1 | (17.3 - 30.3) | 140 |
| 10th | 12.5 | (8.6 - 17.8) | 236 | 10.6 | (6.6 - 16.6) | 133 | 14.8 | (8.6 - 24.2) | 103 |
| 11th | 13.2 | (8.9 - 19.0) | 271 | 10.1 | (5.3 - 18.3) | 123 | 15.9 | (10.1 - 24.3) | 148 |
| 12th | 12.4 | (8.6 - 17.6) | 189 | 15.3 | (10.3 - 22.2) | 104 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 52 | - | - | 25 | - | - | 27 |
| White* | 13.0 | (10.6 - 15.9) | 850 | 11.6 | (8.4 - 15.8) | 423 | 14.6 | (11.2 - 18.8) | 426 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 19 | - | - | 7 |

Note: 24 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.5 | (8.3 - 13.1) | 999 | 9.2 | (6.7 - 12.6) | 514 | 11.9 | (9.0 - 15.6) | 482 |
| Age | | | | | | | | | |
| 15 or younger | 11.1 | (8.4 - 14.6) | 437 | 8.3 | (5.4 - 12.5) | 222 | 14.2 | (10.2 - 19.5) | 213 |
| 16 or 17 | 8.3 | (5.6 - 12.0) | 484 | 7.7 | (4.4 - 13.1) | 247 | 8.9 | (5.5 - 14.0) | 237 |
| 18 or older | - | - | 76 | - | - | 44 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 10.2 | (7.4 - 13.9) | 285 | 6.8 | (3.9 - 11.6) | 145 | 13.9 | (9.4 - 20.2) | 139 |
| 10th | 10.5 | (7.1 - 15.3) | 237 | 7.5 | (4.2 - 13.1) | 134 | 14.2 | (8.6 - 22.7) | 103 |
| 11th | 9.4 | (5.8 - 15.0) | 274 | 8.2 | (4.6 - 14.5) | 126 | 10.5 | (5.6 - 18.8) | 148 |
| 12th | 9.4 | (5.7 - 15.1) | 186 | 11.6 | (6.8 - 19.1) | 101 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 11 | - | - | 5 |
| Hispanic/Latino | - | - | 51 | - | - | 25 | - | - | 26 |
| White* | 8.9 | (6.9 - 11.2) | 850 | 7.8 | (5.5 - 10.9) | 422 | 10.0 | (7.2 - 13.6) | 427 |
| All other races | - | - | 24 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 28 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 16.5 | (13.6 - 19.9) | 1,009 | 20.1 | (16.0 - 24.9) | 516 | 12.6 | (9.7 - 16.1) | 487 |
| 15 or younger | 17.2 | (13.1 - 22.1) | 443 | 20.1 | (13.8 - 28.4) | 221 | 14.0 | (10.0 - 19.2) | 217 |
| 16 or 17 | 14.0 | (10.6 - 18.1) | 486 | 18.2 | (13.2 - 24.5) | 248 | 9.3 | (6.3 - 13.7) | 238 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 17.4 | (12.4 - 23.8) | 288 | 19.9 | (11.7 - 31.8) | 146 | 14.0 | (8.9 - 21.2) | 140 |
| 10th | 15.4 | (10.3 - 22.3) | 239 | 20.0 | (12.7 - 30.0) | 134 | 10.0 | (5.3 - 18.0) | 104 |
| 11th | 13.8 | (9.7 - 19.3) | 273 | 18.1 | (11.9 - 26.5) | 125 | 9.8 | (5.6 - 16.5) | 148 |
| 12th | 17.3 | (12.3 - 23.9) | 191 | 19.0 | (12.8 - 27.2) | 103 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 27 |
| White* | 13.0 | (10.3 - 16.4) | 848 | 17.0 | (12.7 - 22.4) | 419 | 9.0 | (6.7 - 12.2) | 428 |
| All other races | - | - | 27 | - | - | 15 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 18 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 23.6 | (19.5 - 28.3) | 949 | 28.0 | (23.1 - 33.4) | 481 | 18.8 | (14.3 - 24.3) | 465 |
| Age | | | | | | | | | |
| 15 or younger | 18.5 | (14.1 - 23.9) | 419 | 22.3 | (16.7 - 29.3) | 208 | 14.3 | (8.9 - 22.2) | 208 |
| 16 or 17 | 24.8 | (19.8 - 30.6) | 458 | 29.1 | (23.0 - 36.0) | 229 | 20.3 | (14.8 - 27.1) | 229 |
| 18 or older | - | - | 71 | - | - | 43 | - | - | 28 |
| Grade | | | | | | | | | |
| 9th | 18.3 | (12.7 - 25.7) | 276 | 22.0 | (15.5 - 30.1) | 140 | 14.6 | (7.4 - 26.7) | 135 |
| 10th | 21.1 | (14.9 - 29.1) | 219 | 27.7 | (19.6 - 37.6) | 117 | 12.9 | (7.1 - 22.4) | 101 |
| 11th | 20.7 | (15.0 - 28.0) | 258 | 23.6 | (17.0 - 31.8) | 116 | 18.2 | (11.3 - 27.9) | 142 |
| 12th | 33.0 | (24.6 - 42.7) | 183 | 36.6 | (25.6 - 49.2) | 100 | - | - | 83 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 50 | - | - | 29 | - | - | 21 |
| White* | 19.9 | (15.9 - 24.5) | 806 | 24.8 | (19.5 - 30.9) | 392 | 15.1 | (11.2 - 20.1) | 413 |
| All other races | - | - | 20 | - | - | 10 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 78 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNFRSIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 8.0 | (5.9 - 10.9) | 949 | 10.1 | (6.9 - 14.4) | 481 | 5.9 | (3.6 - 9.4) | 465 |
| 15 or younger | 5.4 | (3.6 - 8.0) | 419 | 6.3 | (3.5 - 10.9) | 208 | 4.5 | (2.3 - 8.6) | 208 |
| 16 or 17 | 7.7 | (5.2 - 11.5) | 458 | 9.6 | (5.7 - 15.8) | 229 | 5.7 | (3.0 - 10.6) | 229 |
| 18 or older | - | - | 71 | - | - | 43 | - | - | 28 |
| Grade | | | | | | | | | |
| 9th | 5.5 | (3.3 - 8.8) | 276 | 6.4 | (3.3 - 12.3) | 140 | 4.5 | (1.9 - 10.4) | 135 |
| 10th | 7.1 | (4.3 - 11.6) | 219 | 10.7 | (6.2 - 17.8) | 117 | 3.2 | (1.1 - 9.3) | 101 |
| 11th | 6.5 | (3.5 - 11.7) | 258 | 7.8 | (3.5 - 16.3) | 116 | 5.4 | (1.9 - 14.4) | 142 |
| 12th | 11.9 | (7.0 - 19.5) | 183 | 13.5 | (6.8 - 25.0) | 100 | - | - | 83 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 50 | - | - | 29 | - | - | 21 |
| White* | 6.2 | (4.4 - 8.7) | 806 | 8.0 | (5.0 - 12.4) | 392 | 4.5 | (2.6 - 7.9) | 413 |
| All other races | - | - | 20 | - | - | 10 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 78 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN35: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.2 | (10.3 - 24.4) | 181 | 18.0 | (10.9 - 28.1) | 107 | - | - | 73 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 73 | - | - | 44 | - | - | 28 |
| 16 or 17 | 15.6 | (8.9 - 26.0) | 108 | - | - | 63 | - | - | 45 |
| 18 or older | - | - | 0 | - | - | 0 | - | - | 0 |
| Grade | | | | | | | | | |
| 9th | - | - | 46 | - | - | 29 | - | - | 17 |
| 10th | - | - | 45 | - | - | 31 | - | - | 13 |
| 11th | - | - | 48 | - | - | 23 | - | - | 25 |
| 12th | - | - | 41 | - | - | 24 | - | - | 17 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 4 | - | - | 4 | - | - | 0 |
| Hispanic/Latino | - | - | 18 | - | - | 10 | - | - | 8 |
| White* | 14.6 | (8.9 - 23.1) | 137 | - | - | 82 | - | - | 55 |
| All other races | - | - | 7 | - | - | 4 | - | - | 3 |
| Multiple races | - | - | 8 | - | - | 3 | - | - | 5 |

Note: 846 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 23.4 | (19.1 - 28.3) | 1,016 | 35.7 | (30.4 - 41.3) | 522 | 9.6 | (6.7 - 13.7) | 488 |
| 15 or younger | 20.9 | (16.4 - 26.1) | 449 | 33.1 | (26.0 - 41.0) | 226 | 7.6 | (4.5 - 12.5) | 218 |
| 16 or 17 | 24.4 | (18.5 - 31.3) | 487 | 38.3 | (31.4 - 45.8) | 249 | 9.0 | (4.8 - 16.4) | 238 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 17.6 | (13.6 - 22.5) | 291 | 28.2 | (21.0 - 36.7) | 147 | 6.6 | (3.6 - 12.0) | 142 |
| 10th | 26.9 | (19.2 - 36.2) | 238 | 39.7 | (31.4 - 48.6) | 134 | 10.1 | (4.4 - 21.5) | 103 |
| 11th | 23.0 | (15.7 - 32.4) | 275 | 40.6 | (30.5 - 51.4) | 127 | 6.5 | (3.4 - 12.1) | 148 |
| 12th | 25.1 | (16.8 - 35.9) | 194 | 33.7 | (22.1 - 47.6) | 106 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 60 | - | - | 31 | - | - | 28 |
| White* | 20.5 | (16.4 - 25.3) | 848 | 35.0 | (29.4 - 41.1) | 419 | 5.9 | (3.5 - 9.8) | 428 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 11 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.0 | (14.1 - 20.4) | 1,010 | 23.0 | (19.0 - 27.6) | 518 | 10.2 | (7.3 - 14.0) | 486 |
| 15 or younger | 13.0 | (10.0 - 16.9) | 448 | 18.7 | (13.7 - 25.0) | 226 | 6.2 | (3.6 - 10.6) | 217 |
| 16 or 17 | 16.6 | (13.1 - 20.9) | 483 | 22.5 | (17.5 - 28.5) | 245 | 10.3 | (6.3 - 16.4) | 238 |
| 18 or older | - | - | 77 | - | - | 46 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 11.5 | (8.3 - 15.7) | 287 | 15.2 | (10.7 - 21.1) | 144 | 6.7 | (3.7 - 12.0) | 141 |
| 10th | 12.1 | (8.3 - 17.2) | 239 | 18.5 | (13.2 - 25.3) | 135 | 4.2 | (1.5 - 11.2) | 103 |
| 11th | 15.1 | (10.4 - 21.3) | 274 | 22.4 | (15.9 - 30.6) | 127 | 8.1 | (3.6 - 17.2) | 147 |
| 12th | 26.0 | (20.1 - 32.9) | 192 | 32.8 | (23.4 - 43.9) | 104 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 60 | - | - | 31 | - | - | 28 |
| White* | 12.2 | (9.7 - 15.1) | 843 | 19.1 | (14.9 - 24.2) | 415 | 5.2 | (3.3 - 8.1) | 427 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 17 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 34.3 | (29.4 - 39.6) | 936 | 45.2 | (39.8 - 50.7) | 470 | 22.7 | (17.5 - 29.0) | 463 |
| Age | | | | | | | | | |
| 15 or younger | 29.0 | (24.1 - 34.5) | 412 | 40.5 | (32.9 - 48.5) | 202 | 17.6 | (12.0 - 25.0) | 207 |
| 16 or 17 | 36.2 | (29.3 - 43.7) | 453 | 47.8 | (40.9 - 54.9) | 224 | 24.2 | (17.1 - 33.1) | 229 |
| 18 or older | - | - | 70 | - | - | 43 | - | - | 27 |
| Grade | | | | | | | | | |
| 9th | 28.1 | (23.1 - 33.6) | 269 | 37.8 | (30.8 - 45.4) | 134 | 18.2 | (10.9 - 29.0) | 134 |
| 10th | 33.1 | (24.0 - 43.7) | 217 | 46.5 | (35.5 - 57.8) | 115 | 17.8 | (10.2 - 29.1) | 101 |
| 11th | 31.0 | (22.9 - 40.5) | 257 | 43.8 | (34.7 - 53.4) | 116 | 19.7 | (12.1 - 30.3) | 141 |
| 12th | 43.9 | (34.7 - 53.6) | 181 | - | - | 98 | - | - | 83 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 15 | - | - | 10 | - | - | 5 |
| Hispanic/Latino | - | - | 50 | - | - | 29 | - | - | 21 |
| White* | 30.4 | (25.5 - 35.7) | 797 | 42.5 | (36.3 - 49.0) | 384 | 18.8 | (14.2 - 24.5) | 412 |
| All other races | - | - | 20 | - | - | 10 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 91 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 69.3 | (65.3 - 73.0) | 974 | 70.1 | (64.9 - 74.7) | 497 | 68.4 | (63.2 - 73.2) | 474 |
| 15 or younger | 65.0 | (59.7 - 69.9) | 436 | 65.4 | (58.0 - 72.0) | 221 | 64.4 | (57.2 - 71.1) | 212 |
| 16 or 17 | 71.6 | (66.8 - 76.0) | 464 | 73.2 | (66.7 - 78.8) | 235 | 69.9 | (63.4 - 75.7) | 229 |
| 18 or older | - | - | 74 | - | - | 41 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 60.6 | (53.9 - 67.0) | 280 | 59.3 | (51.6 - 66.7) | 142 | 62.5 | (54.8 - 69.5) | 137 |
| 10th | 72.0 | (64.6 - 78.3) | 231 | 73.1 | (64.0 - 80.5) | 129 | 70.3 | (57.7 - 80.4) | 101 |
| 11th | 69.3 | (62.5 - 75.4) | 265 | 70.8 | (61.2 - 78.8) | 120 | 68.0 | (59.3 - 75.5) | 145 |
| 12th | 73.9 | (66.5 - 80.1) | 181 | - | - | 97 | - | - | 84 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 14 | - | - | 8 | - | - | 6 |
| Hispanic/Latino | - | - | 54 | - | - | 30 | - | - | 24 |
| White* | 67.5 | (63.2 - 71.6) | 826 | 67.9 | (62.1 - 73.2) | 406 | 67.3 | (61.7 - 72.4) | 419 |
| All other races | - | - | 22 | - | - | 11 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 53 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 30.3 | (26.2 - 34.8) | 1,002 | 34.8 | (29.2 - 40.9) | 515 | 24.8 | (20.6 - 29.6) | 481 |
| Age | | | | | | | | | |
| 15 or younger | 36.6 | (31.1 - 42.4) | 442 | 42.2 | (34.5 - 50.3) | 225 | 29.9 | (23.6 - 37.2) | 212 |
| 16 or 17 | 26.6 | (22.1 - 31.6) | 480 | 31.3 | (24.7 - 38.8) | 244 | 21.5 | (16.9 - 26.9) | 236 |
| 18 or older | - | - | 78 | - | - | 45 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 36.1 | (29.1 - 43.7) | 287 | 36.7 | (27.5 - 46.9) | 146 | 36.1 | (27.6 - 45.5) | 139 |
| 10th | 36.8 | (28.0 - 46.5) | 239 | 47.5 | (35.6 - 59.6) | 136 | 22.4 | (14.1 - 33.7) | 102 |
| 11th | 22.9 | (17.6 - 29.1) | 271 | 29.5 | (22.7 - 37.4) | 124 | 16.7 | (11.1 - 24.3) | 147 |
| 12th | 25.2 | (19.7 - 31.6) | 187 | 25.9 | (18.3 - 35.2) | 101 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 28 | - | - | 27 |
| White* | 28.9 | (24.8 - 33.4) | 843 | 34.4 | (28.8 - 40.5) | 419 | 23.4 | (19.0 - 28.4) | 423 |
| All other races | - | - | 27 | - | - | 15 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 25 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 44.7 | (40.2 - 49.3) | 951 | 47.6 | (42.2 - 53.0) | 479 | 41.6 | (36.0 - 47.5) | 469 |
| 15 or younger | 38.1 | (32.8 - 43.6) | 422 | 39.7 | (32.5 - 47.4) | 210 | 36.5 | (30.6 - 42.8) | 209 |
| 16 or 17 | 47.7 | (41.6 - 53.8) | 456 | 51.2 | (44.1 - 58.3) | 227 | 44.1 | (35.5 - 53.0) | 229 |
| 18 or older | - | - | 73 | - | - | 42 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 33.9 | (27.7 - 40.7) | 275 | 32.6 | (24.6 - 41.8) | 138 | 35.4 | (28.8 - 42.7) | 136 |
| 10th | 48.2 | (39.4 - 57.1) | 225 | 54.6 | (43.8 - 64.9) | 126 | - | - | 99 |
| 11th | 43.4 | (35.2 - 52.1) | 258 | 46.8 | (37.1 - 56.9) | 114 | 40.5 | (30.5 - 51.3) | 144 |
| 12th | 52.6 | (44.7 - 60.4) | 175 | - | - | 92 | - | - | 83 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 13 | - | - | 9 | - | - | 4 |
| Hispanic/Latino | - | - | 50 | - | - | 25 | - | - | 24 |
| White* | 42.3 | (37.8 - 46.9) | 814 | 46.8 | (40.9 - 52.8) | 397 | 38.1 | (32.4 - 44.1) | 416 |
| All other races | - | - | 20 | - | - | 9 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 76 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 30.8 | (26.8 - 35.0) | 979 | 34.9 | (29.7 - 40.4) | 498 | 26.4 | (21.4 - 32.0) | 477 |
| 15 or younger | 25.3 | (20.4 - 30.9) | 435 | 29.2 | (23.1 - 36.1) | 219 | 21.1 | (15.3 - 28.4) | 213 |
| 16 or 17 | 32.1 | (27.1 - 37.6) | 467 | 35.8 | (29.0 - 43.3) | 233 | 28.3 | (21.7 - 35.9) | 234 |
| 18 or older | - | - | 75 | - | - | 45 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 20.4 | (15.0 - 27.3) | 282 | 22.0 | (16.2 - 29.2) | 142 | 19.0 | (11.6 - 29.5) | 139 |
| 10th | 34.0 | (25.8 - 43.2) | 229 | 39.2 | (27.5 - 52.4) | 129 | 27.5 | (19.6 - 37.1) | 100 |
| 11th | 28.9 | (21.9 - 37.0) | 264 | 33.9 | (24.8 - 44.4) | 119 | 24.3 | (17.5 - 32.7) | 145 |
| 12th | 39.6 | (32.6 - 47.1) | 186 | 44.3 | (34.6 - 54.5) | 100 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 14 | - | - | 10 | - | - | 4 |
| Hispanic/Latino | - | - | 53 | - | - | 26 | - | - | 26 |
| White* | 27.9 | (23.8 - 32.5) | 832 | 33.0 | (27.3 - 39.2) | 409 | 22.9 | (17.9 - 28.8) | 422 |
| All other races | - | - | 22 | - | - | 12 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 48 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN47: Percentage of students who used marijuana one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 30.5 | (26.7 - 34.6) | 975 | 35.3 | (30.2 - 40.7) | 496 | 25.1 | (20.6 - 30.2) | 476 |
| Age | | | | | | | | | |
| 15 or younger | 24.7 | (20.2 - 29.9) | 433 | 27.0 | (20.3 - 34.8) | 217 | 22.1 | (16.6 - 28.8) | 214 |
| 16 or 17 | 31.1 | (26.4 - 36.2) | 468 | 36.9 | (30.7 - 43.5) | 235 | 24.9 | (19.8 - 31.0) | 233 |
| 18 or older | - | - | 72 | - | - | 43 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 23.7 | (17.7 - 30.8) | 281 | 26.7 | (18.8 - 36.5) | 142 | 20.5 | (13.6 - 29.5) | 139 |
| 10th | 28.9 | (23.8 - 34.7) | 233 | 32.6 | (25.0 - 41.1) | 129 | 23.7 | (15.7 - 34.3) | 103 |
| 11th | 29.4 | (24.0 - 35.5) | 264 | 33.5 | (26.7 - 41.1) | 120 | 25.7 | (18.8 - 34.0) | 144 |
| 12th | 38.7 | (31.2 - 46.7) | 185 | - | - | 98 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 11 | - | - | 5 |
| Hispanic/Latino | - | - | 45 | - | - | 25 | - | - | 20 |
| White* | 26.6 | (22.7 - 30.9) | 834 | 31.4 | (25.8 - 37.6) | 407 | 21.9 | (17.8 - 26.7) | 427 |
| All other races | - | - | 22 | - | - | 12 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 52 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN48: Percentage of students who tried marijuana for the first time before age 13 years

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 10.6 | (8.3 - 13.5) | 979 | 13.5 | (10.2 - 17.6) | 495 | 7.1 | (4.9 - 10.0) | 480 |
| 15 or younger | 11.2 | (7.9 - 15.5) | 434 | 13.1 | (8.1 - 20.5) | 215 | 8.3 | (5.1 - 13.3) | 216 |
| 16 or 17 | 7.9 | (5.4 - 11.3) | 470 | 10.2 | (6.7 - 15.4) | 236 | 5.4 | (2.9 - 9.8) | 234 |
| 18 or older | - | - | 73 | - | - | 43 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 12.6 | (7.9 - 19.5) | 281 | 16.0 | (9.0 - 26.8) | 141 | 9.0 | (4.9 - 16.0) | 140 |
| 10th | 10.0 | (6.6 - 14.8) | 235 | 12.3 | (7.7 - 19.0) | 130 | 6.2 | (2.9 - 12.8) | 104 |
| 11th | 8.6 | (5.5 - 13.3) | 266 | 12.2 | (7.6 - 18.9) | 121 | 5.3 | (2.5 - 11.0) | 145 |
| 12th | 10.7 | (6.8 - 16.4) | 183 | - | - | 96 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 49 | - | - | 26 | - | - | 22 |
| White* | 7.5 | (5.6 - 10.1) | 834 | 10.1 | (7.0 - 14.4) | 406 | 5.0 | (3.2 - 7.7) | 428 |
| All other races | - | - | 23 | - | - | 14 | - | - | 9 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 48 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN49: Percentage of students who used marijuana one or more times during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.5 | (14.3 - 21.2) | 977 | 22.6 | (18.8 - 27.0) | 501 | 11.8 | (8.5 - 16.0) | 473 |
| 15 or younger | 14.6 | (11.0 - 19.2) | 435 | 18.1 | (13.1 - 24.5) | 218 | 10.6 | (6.6 - 16.5) | 215 |
| 16 or 17 | 17.7 | (13.8 - 22.5) | 469 | 23.8 | (18.4 - 30.1) | 238 | 11.2 | (7.5 - 16.2) | 231 |
| 18 or older | - | - | 71 | - | - | 44 | - | - | 27 |
| Grade | | | | | | | | | |
| 9th | 13.2 | (9.0 - 19.0) | 282 | 17.3 | (11.8 - 24.7) | 143 | 8.8 | (4.5 - 16.5) | 139 |
| 10th | 15.9 | (11.6 - 21.5) | 234 | 21.1 | (15.4 - 28.3) | 130 | 8.7 | (4.6 - 15.8) | 103 |
| 11th | 16.5 | (12.2 - 21.9) | 264 | 18.4 | (12.6 - 26.1) | 122 | 14.6 | (8.8 - 23.3) | 142 |
| 12th | 23.2 | (16.0 - 32.3) | 185 | - | - | 99 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 43 | - | - | 24 | - | - | 19 |
| White* | 14.6 | (11.5 - 18.4) | 834 | 19.3 | (15.3 - 24.0) | 409 | 10.0 | (6.8 - 14.4) | 425 |
| All other races | - | - | 24 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 19 | - | - | 7 |

Note: 50 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 11.6 | (9.0 - 14.9) | 1,020 | 15.3 | (11.9 - 19.4) | 525 | 7.3 | (4.9 - 10.6) | 489 |
| 15 or younger | 8.5 | (5.9 - 12.2) | 455 | 10.8 | (7.2 - 16.0) | 231 | 5.2 | (2.9 - 9.4) | 219 |
| 16 or 17 | 11.0 | (8.1 - 14.9) | 485 | 14.9 | (10.4 - 20.8) | 248 | 6.8 | (3.8 - 11.8) | 237 |
| 18 or older | - | - | 78 | - | - | 45 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 7.0 | (4.1 - 11.6) | 293 | 10.1 | (6.0 - 16.5) | 149 | 3.8 | (1.6 - 8.7) | 142 |
| 10th | 7.9 | (5.2 - 11.8) | 241 | 10.1 | (6.4 - 15.6) | 136 | 4.0 | (1.5 - 10.1) | 104 |
| 11th | 10.7 | (7.0 - 15.8) | 274 | 14.9 | (10.0 - 21.6) | 127 | 6.7 | (2.8 - 15.4) | 147 |
| 12th | 18.9 | (12.4 - 27.7) | 193 | 24.7 | (16.2 - 35.8) | 104 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 7.1 | (5.3 - 9.6) | 851 | 10.9 | (7.8 - 15.2) | 421 | 3.3 | (1.9 - 5.7) | 429 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 7 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 14.5 | (11.8 - 17.7) | 1,016 | 17.2 | (13.5 - 21.7) | 523 | 10.9 | (8.4 - 14.0) | 487 |
| 15 or younger | 15.4 | (12.2 - 19.2) | 452 | 17.8 | (13.4 - 23.4) | 229 | 11.4 | (8.0 - 16.0) | 218 |
| 16 or 17 | 11.6 | (8.4 - 15.9) | 485 | 15.4 | (10.5 - 22.0) | 248 | 7.4 | (4.4 - 12.4) | 237 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 12.2 | (8.7 - 16.8) | 291 | 13.9 | (9.4 - 20.2) | 147 | 9.5 | (6.0 - 14.6) | 142 |
| 10th | 15.8 | (11.4 - 21.5) | 240 | 18.7 | (12.5 - 26.9) | 136 | 11.1 | (6.2 - 19.3) | 103 |
| 11th | 11.1 | (7.3 - 16.5) | 274 | 15.6 | (10.1 - 23.3) | 127 | 6.9 | (3.4 - 13.3) | 147 |
| 12th | 16.7 | (10.4 - 25.7) | 192 | 18.5 | (11.1 - 29.2) | 104 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 10.2 | (8.1 - 12.7) | 846 | 13.3 | (10.1 - 17.5) | 418 | 7.0 | (5.0 - 9.8) | 427 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 11 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN52: Percentage of students who used heroin one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.9 | (6.7 - 11.8) | 1,002 | 11.3 | (8.3 - 15.4) | 513 | 6.1 | (3.9 - 9.4) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 7.7 | (5.0 - 11.6) | 445 | 9.9 | (6.1 - 15.7) | 224 | 4.9 | (2.5 - 9.1) | 217 |
| 16 or 17 | 7.4 | (5.2 - 10.4) | 479 | 10.0 | (6.7 - 14.9) | 243 | 4.5 | (2.1 - 9.3) | 236 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 7.0 | (4.1 - 11.7) | 287 | 8.9 | (4.9 - 15.6) | 144 | 3.9 | (1.7 - 8.8) | 141 |
| 10th | 6.0 | (3.4 - 10.1) | 238 | 8.3 | (4.5 - 14.8) | 134 | 3.1 | (1.0 - 9.4) | 103 |
| 11th | 6.1 | (3.5 - 10.5) | 272 | 7.6 | (4.0 - 13.9) | 125 | 4.8 | (1.8 - 12.0) | 147 |
| 12th | 14.6 | (8.9 - 22.8) | 188 | 19.6 | (12.3 - 29.6) | 102 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 28 |
| White* | 4.1 | (2.9 - 5.8) | 836 | 6.5 | (4.4 - 9.5) | 410 | 1.8 | (0.9 - 3.6) | 425 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 25 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN53: Percentage of students who used methamphetamines one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 9.4 | (6.9 - 12.7) | 1,015 | 12.2 | (9.0 - 16.3) | 524 | 6.0 | (3.8 - 9.2) | 485 |
| 15 or younger | 7.7 | (5.2 - 11.3) | 452 | 10.6 | (7.3 - 15.1) | 230 | 4.2 | (2.1 - 8.1) | 217 |
| 16 or 17 | 9.2 | (6.4 - 13.0) | 485 | 12.5 | (8.2 - 18.6) | 248 | 5.5 | (2.8 - 10.4) | 237 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 7.0 | (4.2 - 11.5) | 292 | 8.4 | (5.0 - 13.7) | 148 | 4.5 | (2.1 - 9.4) | 142 |
| 10th | 8.2 | (5.0 - 13.1) | 240 | 12.3 | (7.6 - 19.3) | 136 | 3.1 | (1.0 - 9.4) | 103 |
| 11th | 9.8 | (6.3 - 15.0) | 274 | 14.5 | (9.5 - 21.7) | 127 | 5.4 | (2.2 - 12.6) | 147 |
| 12th | 11.0 | (5.8 - 20.1) | 190 | 13.4 | (6.6 - 25.2) | 104 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 5.5 | (3.9 - 7.8) | 848 | 8.4 | (5.7 - 12.3) | 420 | 2.6 | (1.4 - 5.0) | 427 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 12 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 12.3 | (9.5 - 15.7) | 1,009 | 16.5 | (12.7 - 21.1) | 520 | 6.8 | (4.5 - 10.0) | 483 |
| 15 or younger | 9.1 | (6.8 - 12.2) | 447 | 12.1 | (8.3 - 17.3) | 228 | 4.4 | (2.4 - 7.9) | 214 |
| 16 or 17 | 11.3 | (8.1 - 15.6) | 483 | 16.3 | (11.2 - 23.1) | 246 | 5.8 | (3.2 - 10.6) | 237 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 8.7 | (5.7 - 13.2) | 288 | 11.5 | (7.2 - 17.9) | 147 | 4.7 | (2.3 - 9.4) | 139 |
| 10th | 11.6 | (8.0 - 16.6) | 240 | 14.6 | (9.0 - 22.8) | 136 | 6.8 | (3.5 - 13.0) | 103 |
| 11th | 11.0 | (7.3 - 16.3) | 273 | 17.7 | (11.9 - 25.7) | 126 | 4.6 | (1.7 - 11.9) | 147 |
| 12th | 15.7 | (9.2 - 25.5) | 189 | 21.5 | (12.1 - 35.2) | 102 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 26 |
| White* | 7.2 | (5.1 - 10.0) | 844 | 10.9 | (7.4 - 15.7) | 417 | 3.4 | (2.0 - 5.8) | 426 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 18 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.9 | (6.8 - 11.6) | 1,011 | 10.1 | (7.3 - 13.9) | 521 | 7.1 | (4.9 - 10.1) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 8.6 | (6.3 - 11.7) | 447 | 9.0 | (5.6 - 14.2) | 226 | 7.3 | (4.6 - 11.3) | 216 |
| 16 or 17 | 6.8 | (4.3 - 10.5) | 484 | 9.0 | (5.2 - 15.3) | 248 | 4.3 | (1.9 - 9.0) | 236 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (5.3 - 11.1) | 289 | 7.4 | (4.2 - 12.6) | 146 | 8.2 | (4.8 - 13.7) | 141 |
| 10th | 7.9 | (5.2 - 12.0) | 240 | 8.5 | (5.1 - 14.0) | 136 | 6.0 | (2.9 - 12.1) | 103 |
| 11th | 7.5 | (4.7 - 11.7) | 273 | 11.1 | (6.7 - 17.9) | 126 | 4.1 | (1.6 - 10.2) | 147 |
| 12th | 10.2 | (5.7 - 17.6) | 191 | 12.4 | (5.8 - 24.7) | 104 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 26 |
| White* | 5.3 | (3.7 - 7.6) | 846 | 7.3 | (4.6 - 11.4) | 419 | 3.3 | (2.0 - 5.4) | 426 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 16 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN56: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.0 | (17.2 - 23.1) | 1,014 | 21.3 | (17.6 - 25.6) | 524 | 18.0 | (14.7 - 21.8) | 485 |
| Age | | | | | | | | | |
| 15 or younger | 17.2 | (13.9 - 21.2) | 450 | 16.7 | (12.5 - 22.0) | 229 | 16.5 | (12.0 - 22.1) | 216 |
| 16 or 17 | 19.4 | (15.8 - 23.6) | 486 | 21.5 | (16.4 - 27.7) | 249 | 17.1 | (12.6 - 22.7) | 237 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 15.0 | (11.4 - 19.5) | 291 | 14.0 | (9.0 - 21.2) | 148 | 15.3 | (10.3 - 22.0) | 141 |
| 10th | 20.9 | (15.5 - 27.7) | 240 | 20.5 | (14.2 - 28.6) | 136 | 20.6 | (13.3 - 30.4) | 103 |
| 11th | 19.9 | (15.6 - 25.1) | 273 | 23.3 | (17.3 - 30.6) | 126 | 16.7 | (11.1 - 24.3) | 147 |
| 12th | 22.7 | (16.7 - 30.0) | 192 | 25.2 | (16.8 - 35.9) | 105 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 31 | - | - | 27 |
| White* | 16.2 | (13.4 - 19.5) | 849 | 18.3 | (14.4 - 23.0) | 421 | 14.2 | (11.1 - 17.9) | 427 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 13 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN57: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.8 | (4.4 - 7.5) | 994 | 7.8 | (6.0 - 10.2) | 511 | 3.1 | (1.7 - 5.7) | 479 |
| Age | | | | | | | | | |
| 15 or younger | 5.9 | (3.9 - 8.8) | 443 | 8.1 | (5.1 - 12.5) | 225 | 3.1 | (1.4 - 6.7) | 215 |
| 16 or 17 | 4.5 | (2.9 - 7.0) | 476 | 6.8 | (4.4 - 10.4) | 241 | 2.0 | (0.7 - 5.7) | 235 |
| 18 or older | - | - | 73 | - | - | 44 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 4.8 | (2.4 - 9.2) | 285 | 7.9 | (4.2 - 14.4) | 145 | 1.4 | (0.4 - 5.1) | 139 |
| 10th | 7.2 | (4.8 - 10.8) | 236 | 8.8 | (5.7 - 13.3) | 132 | 4.2 | (1.5 - 10.9) | 103 |
| 11th | 4.2 | (2.4 - 7.2) | 269 | 6.6 | (3.7 - 11.4) | 123 | 2.0 | (0.6 - 6.3) | 146 |
| 12th | 6.2 | (3.1 - 11.9) | 187 | 7.6 | (3.8 - 14.7) | 102 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 54 | - | - | 29 | - | - | 25 |
| White* | 3.1 | (2.1 - 4.5) | 840 | 5.2 | (3.5 - 7.8) | 413 | 0.9 | (0.3 - 2.4) | 426 |
| All other races | - | - | 24 | - | - | 15 | - | - | 9 |
| Multiple races | - | - | 27 | - | - | 19 | - | - | 7 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 21.9 | (18.5 - 25.7) | 991 | 26.2 | (21.7 - 31.3) | 510 | 16.8 | (13.2 - 21.2) | 477 |
| Age | | | | | | | | | |
| 15 or younger | 24.0 | (20.4 - 28.0) | 442 | 27.6 | (22.2 - 33.6) | 224 | 19.9 | (15.6 - 25.0) | 215 |
| 16 or 17 | 19.6 | (14.9 - 25.4) | 473 | 24.6 | (17.7 - 33.1) | 240 | 14.2 | (9.9 - 20.1) | 233 |
| 18 or older | - | - | 74 | - | - | 45 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 24.7 | (20.4 - 29.5) | 288 | 27.1 | (21.1 - 34.2) | 146 | 21.4 | (15.7 - 28.4) | 140 |
| 10th | 21.6 | (16.0 - 28.5) | 237 | 26.6 | (19.8 - 34.6) | 134 | 15.4 | (9.5 - 23.9) | 103 |
| 11th | 21.0 | (14.8 - 28.9) | 267 | 26.6 | (17.8 - 37.6) | 122 | 15.9 | (9.6 - 25.3) | 145 |
| 12th | 18.1 | (11.6 - 27.1) | 182 | - | - | 99 | - | - | 83 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 50 | - | - | 27 | - | - | 23 |
| White* | 19.0 | (15.9 - 22.6) | 845 | 22.9 | (18.7 - 27.9) | 418 | 15.0 | (11.7 - 19.1) | 426 |
| All other races | - | - | 25 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 19 | - | - | 7 |

Note: 36 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN59: Percentage of students who ever had sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 51.5 | (45.8 - 57.2) | 852 | 51.5 | (45.5 - 57.5) | 422 | 51.5 | (44.2 - 58.7) | 428 |
| Age | | | | | | | | | |
| 15 or younger | 36.1 | (31.0 - 41.7) | 377 | 39.5 | (33.0 - 46.3) | 184 | 32.7 | (25.6 - 40.7) | 191 |
| 16 or 17 | 61.0 | (54.4 - 67.2) | 414 | 57.6 | (49.5 - 65.3) | 200 | 64.3 | (56.2 - 71.8) | 214 |
| 18 or older | - | - | 61 | - | - | 38 | - | - | 23 |
| Grade | | | | | | | | | |
| 9th | 32.6 | (26.8 - 39.0) | 245 | 40.9 | (34.6 - 47.4) | 124 | 24.0 | (16.8 - 33.0) | 121 |
| 10th | 47.5 | (39.0 - 56.1) | 202 | 47.6 | (36.9 - 58.4) | 105 | - | - | 96 |
| 11th | 57.0 | (48.2 - 65.4) | 234 | 52.6 | (42.5 - 62.4) | 101 | 60.6 | (50.0 - 70.2) | 133 |
| 12th | 69.1 | (60.6 - 76.6) | 160 | - | - | 85 | - | - | 75 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 33 | - | - | 17 | - | - | 16 |
| White* | 50.6 | (44.6 - 56.5) | 742 | 49.3 | (42.9 - 55.8) | 353 | 51.7 | (44.4 - 58.9) | 389 |
| All other races | - | - | 16 | - | - | 8 | - | - | 8 |
| Multiple races | - | - | 23 | - | - | 16 | - | - | 6 |

Note: 175 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN60: Percentage of students who had sexual intercourse for the first time before age 13 years

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 8.1 | (6.0 - 10.9) | 858 | 13.8 | (10.3 - 18.1) | 425 | 2.1 | (1.1 - 3.9) | 431 |
| 15 or younger | 8.4 | (5.7 - 12.4) | 379 | 13.2 | (8.8 - 19.3) | 185 | 3.3 | (1.5 - 6.8) | 192 |
| 16 or 17 | 6.8 | (4.0 - 11.4) | 416 | 12.8 | (7.6 - 20.9) | 202 | 0.8 | (0.2 - 3.5) | 214 |
| 18 or older | - | - | 63 | - | - | 38 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | 10.5 | (7.0 - 15.4) | 248 | 15.9 | (10.5 - 23.5) | 125 | 4.8 | (2.5 - 8.9) | 123 |
| 10th | 6.9 | (3.8 - 12.1) | 201 | 10.9 | (6.0 - 18.9) | 104 | - | - | 96 |
| 11th | 6.2 | (3.3 - 11.3) | 234 | 13.7 | (7.7 - 23.2) | 102 | 0.0 | - | 132 |
| 12th | 8.1 | (4.4 - 14.4) | 164 | - | - | 87 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 35 | - | - | 19 | - | - | 16 |
| White* | 6.2 | (4.5 - 8.6) | 746 | 11.1 | (8.1 - 15.1) | 354 | 1.7 | (0.8 - 3.6) | 392 |
| All other races | - | - | 15 | - | - | 7 | - | - | 8 |
| Multiple races | - | - | 24 | - | - | 17 | - | - | 6 |

Note: 169 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN61: Percentage of students who had sexual intercourse with four or more people during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.4 | (13.2 - 20.1) | 860 | 20.2 | (16.6 - 24.3) | 427 | 12.4 | (8.2 - 18.2) | 430 |
| Age | | | | | | | | | |
| 15 or younger | 10.6 | (7.7 - 14.4) | 382 | 13.2 | (8.9 - 19.2) | 188 | 7.5 | (4.4 - 12.6) | 191 |
| 16 or 17 | 17.4 | (13.2 - 22.6) | 417 | 20.5 | (14.8 - 27.8) | 202 | 14.3 | (9.1 - 22.0) | 215 |
| 18 or older | - | - | 61 | - | - | 37 | - | - | 24 |
| Grade | | | | | | | | | |
| 9th | 8.9 | (6.1 - 12.8) | 249 | 13.5 | (8.7 - 20.3) | 126 | 4.1 | (1.7 - 9.5) | 122 |
| 10th | 16.7 | (12.1 - 22.7) | 203 | 18.4 | (13.5 - 24.7) | 106 | - | - | 96 |
| 11th | 14.9 | (10.0 - 21.5) | 234 | 18.8 | (11.9 - 28.5) | 101 | 11.7 | (6.8 - 19.5) | 133 |
| 12th | 25.2 | (18.5 - 33.3) | 163 | - | - | 87 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 34 | - | - | 19 | - | - | 15 |
| White* | 13.6 | (10.7 - 17.2) | 746 | 15.8 | (12.0 - 20.4) | 355 | 11.6 | (7.7 - 17.2) | 391 |
| All other races | - | - | 17 | - | - | 8 | - | - | 8 |
| Multiple races | - | - | 24 | - | - | 16 | - | - | 7 |

Note: 167 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN62: Percentage of students who had sexual intercourse with one or more people during the past three months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 40.7 | (35.3 - 46.4) | 863 | 38.1 | (31.8 - 44.9) | 430 | 43.1 | (36.4 - 50.0) | 430 |
| Age | | | | | | | | | |
| 15 or younger | 27.5 | (22.1 - 33.6) | 384 | 28.4 | (21.5 - 36.4) | 189 | 25.7 | (19.4 - 33.2) | 192 |
| 16 or 17 | 48.2 | (42.0 - 54.5) | 416 | 42.2 | (34.6 - 50.3) | 202 | 54.1 | (46.0 - 62.1) | 214 |
| 18 or older | - | - | 63 | - | - | 39 | - | - | 24 |
| Grade | | | | | | | | | |
| 9th | 24.9 | (18.5 - 32.8) | 250 | 27.4 | (19.4 - 37.2) | 126 | 21.4 | (14.4 - 30.6) | 123 |
| 10th | 35.7 | (28.2 - 44.0) | 203 | 34.6 | (25.1 - 45.4) | 107 | - | - | 95 |
| 11th | 46.3 | (37.6 - 55.3) | 235 | 40.6 | (30.5 - 51.4) | 102 | 51.1 | (40.2 - 61.9) | 133 |
| 12th | 55.6 | (47.0 - 63.9) | 164 | - | - | 88 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 33 | - | - | 19 | - | - | 14 |
| White* | 38.6 | (33.0 - 44.6) | 747 | 35.1 | (28.4 - 42.4) | 356 | 41.9 | (35.2 - 48.9) | 391 |
| All other races | - | - | 18 | - | - | 8 | - | - | 9 |
| Multiple races | - | - | 25 | - | - | 17 | - | - | 7 |

Note: 164 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 23.7 | (18.3 - 30.1) | 329 | 35.6 | (27.4 - 44.8) | 153 | 12.8 | (8.6 - 18.6) | 174 |
| Age | | | | | | | | | |
| 15 or younger | 33.4 | (24.8 - 43.2) | 102 | - | - | 51 | - | - | 49 |
| 16 or 17 | 16.8 | (11.0 - 24.8) | 191 | - | - | 81 | 11.6 | (6.2 - 20.8) | 110 |
| 18 or older | - | - | 36 | - | - | 21 | - | - | 15 |
| Grade | | | | | | | | | |
| 9th | - | - | 61 | - | - | 34 | - | - | 26 |
| 10th | - | - | 71 | - | - | 36 | - | - | 34 |
| 11th | 20.1 | (12.5 - 30.5) | 106 | - | - | 40 | - | - | 66 |
| 12th | - | - | 87 | - | - | 39 | - | - | 48 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 19 | - | - | 10 | - | - | 9 |
| White* | 18.8 | (14.0 - 24.7) | 272 | 31.1 | (23.5 - 39.9) | 118 | 9.3 | (5.6 - 14.9) | 154 |
| All other races | - | - | 10 | - | - | 4 | - | - | 5 |
| Multiple races | - | - | 11 | - | - | 8 | - | - | 3 |

Note: 698 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN64: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-----|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 56.2 | (49.7 - 62.5) | 324 | 58.1 | (49.6 - 66.2) | 152 | 54.4 | (46.3 - 62.3) | 172 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 98 | - | - | 51 | - | - | 47 |
| 16 or 17 | 55.3 | (47.9 - 62.5) | 191 | - | - | 80 | 54.0 | (45.9 - 61.9) | 111 |
| 18 or older | - | - | 35 | - | - | 21 | - | - | 14 |
| Grade | | | | | | | | | |
| 9th | - | - | 58 | - | - | 35 | - | - | 23 |
| 10th | - | - | 69 | - | - | 35 | - | - | 34 |
| 11th | 47.6 | (38.7 - 56.6) | 105 | - | - | 39 | - | - | 66 |
| 12th | - | - | 89 | - | - | 40 | - | - | 49 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 18 | - | - | 10 | - | - | 8 |
| White* | 57.5 | (51.2 - 63.6) | 271 | 57.9 | (49.3 - 66.0) | 117 | 57.2 | (48.7 - 65.3) | 154 |
| All other races | - | - | 8 | - | - | 4 | - | - | 4 |
| Multiple races | - | - | 11 | - | - | 8 | - | - | 3 |

Note: 703 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN65: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.4 | (22.6 - 32.8) | 323 | 18.0 | (13.0 - 24.3) | 150 | 36.1 | (29.4 - 43.5) | 171 |
| Age | | | | | | | | | |
| 15 or younger | 23.4 | (16.5 - 32.2) | 100 | - | - | 52 | - | - | 46 |
| 16 or 17 | 27.5 | (20.9 - 35.3) | 187 | - | - | 77 | 34.8 | (25.7 - 45.0) | 110 |
| 18 or older | - | - | 36 | - | - | 21 | - | - | 15 |
| Grade | | | | | | | | | |
| 9th | - | - | 61 | - | - | 35 | - | - | 25 |
| 10th | - | - | 68 | - | - | 35 | - | - | 32 |
| 11th | 25.7 | (17.8 - 35.6) | 102 | - | - | 37 | - | - | 65 |
| 12th | - | - | 89 | - | - | 40 | - | - | 49 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 20 | - | - | 11 | - | - | 9 |
| White* | 27.4 | (21.9 - 33.6) | 265 | 16.3 | (11.0 - 23.5) | 114 | 35.7 | (27.8 - 44.4) | 151 |
| All other races | - | - | 10 | - | - | 4 | - | - | 5 |
| Multiple races | - | - | 11 | - | - | 8 | - | - | 3 |

Note: 704 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNOTHH: Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 5.2 | (3.1 - 8.7) | 323 | 3.2 | (1.3 - 7.5) | 150 | 6.3 | (3.3 - 11.8) | 171 |
| Age | | | | | | | | | |
| 15 or younger | 4.3 | (1.5 - 11.4) | 100 | - | - | 52 | - | - | 46 |
| 16 or 17 | 6.0 | (3.2 - 11.2) | 187 | - | - | 77 | 8.1 | (4.1 - 15.4) | 110 |
| 18 or older | - | - | 36 | - | - | 21 | - | - | 15 |
| Grade | | | | | | | | | |
| 9th | - | - | 61 | - | - | 35 | - | - | 25 |
| 10th | - | - | 68 | - | - | 35 | - | - | 32 |
| 11th | 6.7 | (3.2 - 13.4) | 102 | - | - | 37 | - | - | 65 |
| 12th | - | - | 89 | - | - | 40 | - | - | 49 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 20 | - | - | 11 | - | - | 9 |
| White* | 4.4 | (2.3 - 8.3) | 265 | 2.3 | (0.7 - 7.1) | 114 | 6.0 | (2.9 - 11.8) | 151 |
| All other races | - | - | 10 | - | - | 4 | - | - | 5 |
| Multiple races | - | - | 11 | - | - | 8 | - | - | 3 |

Note: 704 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNOTHHPL: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 32.6 | (27.2 - 38.6) | 323 | 21.2 | (16.0 - 27.4) | 150 | 42.5 | (35.0 - 50.3) | 171 |
| Age | | | | | | | | | |
| 15 or younger | 27.7 | (19.9 - 37.2) | 100 | - | - | 52 | - | - | 46 |
| 16 or 17 | 33.5 | (26.4 - 41.6) | 187 | - | - | 77 | 42.8 | (33.1 - 53.1) | 110 |
| 18 or older | - | - | 36 | - | - | 21 | - | - | 15 |
| Grade | | | | | | | | | |
| 9th | - | - | 61 | - | - | 35 | - | - | 25 |
| 10th | - | - | 68 | - | - | 35 | - | - | 32 |
| 11th | 32.3 | (23.0 - 43.4) | 102 | - | - | 37 | - | - | 65 |
| 12th | - | - | 89 | - | - | 40 | - | - | 49 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 20 | - | - | 11 | - | - | 9 |
| White* | 31.7 | (25.8 - 38.4) | 265 | 18.6 | (13.1 - 25.7) | 114 | 41.7 | (33.3 - 50.6) | 151 |
| All other races | - | - | 10 | - | - | 4 | - | - | 5 |
| Multiple races | - | - | 11 | - | - | 8 | - | - | 3 |

Note: 704 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNDUALBC: Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.0 | (7.6 - 15.8) | 317 | 6.4 | (3.6 - 11.2) | 148 | 15.1 | (9.6 - 23.0) | 169 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 96 | - | - | 51 | - | - | 45 |
| 16 or 17 | 8.9 | (5.3 - 14.3) | 187 | - | - | 77 | 12.6 | (7.1 - 21.4) | 110 |
| 18 or older | - | - | 34 | - | - | 20 | - | - | 14 |
| Grade | | | | | | | | | |
| 9th | - | - | 58 | - | - | 35 | - | - | 23 |
| 10th | - | - | 67 | - | - | 35 | - | - | 32 |
| 11th | 9.3 | (4.8 - 17.1) | 102 | - | - | 37 | - | - | 65 |
| 12th | - | - | 87 | - | - | 38 | - | - | 49 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 18 | - | - | 10 | - | - | 8 |
| White* | 10.6 | (7.1 - 15.7) | 265 | 3.1 | (1.2 - 7.8) | 114 | 16.3 | (10.3 - 24.7) | 151 |
| All other races | - | - | 8 | - | - | 4 | - | - | 4 |
| Multiple races | - | - | 10 | - | - | 7 | - | - | 3 |

Note: 710 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNBCNONE: Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.9 | (10.0 - 19.0) | 323 | 15.1 | (9.9 - 22.3) | 150 | 12.4 | (8.0 - 18.6) | 171 |
| Age | | | | | | | | | |
| 15 or younger | 13.1 | (6.4 - 25.0) | 100 | - | - | 52 | - | - | 46 |
| 16 or 17 | 12.6 | (8.1 - 19.0) | 187 | - | - | 77 | 12.1 | (7.0 - 20.0) | 110 |
| 18 or older | - | - | 36 | - | - | 21 | - | - | 15 |
| Grade | | | | | | | | | |
| 9th | - | - | 61 | - | - | 35 | - | - | 25 |
| 10th | - | - | 68 | - | - | 35 | - | - | 32 |
| 11th | 16.6 | (9.8 - 26.7) | 102 | - | - | 37 | - | - | 65 |
| 12th | - | - | 89 | - | - | 40 | - | - | 49 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 8 | - | - | 6 | - | - | 2 |
| Hispanic/Latino | - | - | 20 | - | - | 11 | - | - | 9 |
| White* | 13.2 | (8.9 - 19.2) | 265 | 13.6 | (8.0 - 22.1) | 114 | 12.9 | (8.0 - 20.1) | 151 |
| All other races | - | - | 10 | - | - | 4 | - | - | 5 |
| Multiple races | - | - | 11 | - | - | 8 | - | - | 3 |

Note: 704 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 14.9 | (12.7 - 17.4) | 953 | 16.1 | (13.2 - 19.5) | 498 | 13.5 | (10.4 - 17.4) | 455 |
| 15 or younger | 16.6 | (13.0 - 20.9) | 419 | 17.0 | (12.3 - 23.0) | 215 | 16.1 | (11.0 - 22.8) | 204 |
| 16 or 17 | 14.9 | (11.9 - 18.6) | 468 | 17.1 | (12.9 - 22.3) | 242 | 12.4 | (8.3 - 18.3) | 226 |
| 18 or older | - | - | 66 | - | - | 41 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | 16.9 | (12.9 - 21.8) | 273 | 17.1 | (12.0 - 23.9) | 140 | 16.6 | (10.3 - 25.5) | 133 |
| 10th | 16.9 | (12.5 - 22.6) | 227 | 18.3 | (13.1 - 25.1) | 130 | - | - | 97 |
| 11th | 15.6 | (12.0 - 20.1) | 261 | 18.9 | (12.6 - 27.4) | 124 | 12.4 | (8.2 - 18.3) | 137 |
| 12th | 11.0 | (6.5 - 17.9) | 181 | - | - | 96 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 15 | - | - | 11 | - | - | 4 |
| Hispanic/Latino | - | - | 41 | - | - | 25 | - | - | 16 |
| White* | 15.3 | (12.9 - 18.0) | 821 | 16.6 | (13.4 - 20.3) | 409 | 14.0 | (10.6 - 18.2) | 412 |
| All other races | - | - | 23 | - | - | 12 | - | - | 11 |
| Multiple races | - | - | 24 | - | - | 19 | - | - | 5 |

Note: 74 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 15.6 | (13.1 - 18.5) | 953 | 21.0 | (17.6 - 24.9) | 498 | 9.4 | (6.8 - 12.9) | 455 |
| 15 or younger | 19.4 | (15.7 - 23.6) | 419 | 27.4 | (21.7 - 33.9) | 215 | 10.8 | (7.7 - 15.1) | 204 |
| 16 or 17 | 14.4 | (10.8 - 19.0) | 468 | 19.2 | (14.4 - 25.0) | 242 | 9.1 | (5.2 - 15.7) | 226 |
| 18 or older | - | - | 66 | - | - | 41 | - | - | 25 |
| Grade | | | | | | | | | |
| 9th | 19.7 | (14.4 - 26.3) | 273 | 28.2 | (20.4 - 37.6) | 140 | 10.4 | (6.5 - 16.1) | 133 |
| 10th | 15.9 | (11.8 - 21.2) | 227 | 19.7 | (14.8 - 25.8) | 130 | - | - | 97 |
| 11th | 11.6 | (8.0 - 16.6) | 261 | 16.6 | (11.2 - 23.8) | 124 | 6.7 | (2.9 - 14.5) | 137 |
| 12th | 14.8 | (10.0 - 21.5) | 181 | - | - | 96 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 15 | - | - | 11 | - | - | 4 |
| Hispanic/Latino | - | - | 41 | - | - | 25 | - | - | 16 |
| White* | 14.5 | (12.0 - 17.5) | 821 | 20.1 | (16.5 - 24.2) | 409 | 8.8 | (6.3 - 12.3) | 412 |
| All other races | - | - | 23 | - | - | 12 | - | - | 11 |
| Multiple races | - | - | 24 | - | - | 19 | - | - | 5 |

Note: 74 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN66: Percentage of students who described themselves as slightly or very overweight

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 30.3 | (27.7 - 33.1) | 1,009 | 28.0 | (24.0 - 32.4) | 521 | 33.0 | (29.1 - 37.1) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 30.3 | (26.5 - 34.3) | 447 | 30.4 | (25.0 - 36.3) | 228 | 30.3 | (25.1 - 36.1) | 215 |
| 16 or 17 | 32.2 | (27.9 - 36.7) | 484 | 28.7 | (22.5 - 35.7) | 247 | 36.0 | (29.4 - 43.2) | 237 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 27.4 | (22.4 - 33.0) | 291 | 27.1 | (20.4 - 35.0) | 150 | 27.2 | (21.3 - 34.1) | 140 |
| 10th | 32.9 | (27.8 - 38.5) | 237 | 28.6 | (23.4 - 34.4) | 133 | 38.7 | (30.5 - 47.6) | 103 |
| 11th | 31.6 | (26.3 - 37.5) | 269 | 29.6 | (22.0 - 38.6) | 124 | 33.6 | (25.7 - 42.4) | 145 |
| 12th | 29.9 | (24.4 - 35.9) | 193 | 27.4 | (19.2 - 37.4) | 105 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 60 | - | - | 31 | - | - | 28 |
| White* | 30.4 | (27.6 - 33.4) | 848 | 27.4 | (23.4 - 31.8) | 421 | 33.3 | (29.1 - 37.7) | 426 |
| All other races | - | - | 26 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 18 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN67: Percentage of students who were trying to lose weight

| | Percentage | Total | | Percentage | Male | | Percentage | Female | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | | 95% confidence interval | N | | 95% confidence interval | N | | 95% confidence interval | N |
| Total | 49.3 | (45.8 - 52.7) | 1,007 | 40.7 | (35.9 - 45.7) | 519 | 59.0 | (53.8 - 64.0) | 482 |
| Age | | | | | | | | | |
| 15 or younger | 49.9 | (45.8 - 54.0) | 446 | 40.3 | (33.7 - 47.3) | 226 | 60.8 | (53.5 - 67.6) | 215 |
| 16 or 17 | 50.0 | (44.9 - 55.0) | 483 | 40.6 | (34.0 - 47.6) | 246 | 60.2 | (53.1 - 66.9) | 237 |
| 18 or older | - | - | 76 | - | - | 46 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 52.0 | (46.8 - 57.2) | 293 | 47.6 | (39.3 - 56.1) | 150 | 56.7 | (48.9 - 64.3) | 141 |
| 10th | 46.7 | (40.3 - 53.3) | 236 | 30.7 | (23.1 - 39.6) | 132 | 66.8 | (56.3 - 75.8) | 103 |
| 11th | 47.6 | (41.0 - 54.3) | 269 | 38.5 | (30.0 - 47.6) | 124 | 56.2 | (46.7 - 65.2) | 145 |
| 12th | 51.6 | (43.3 - 59.8) | 190 | 46.0 | (34.0 - 58.4) | 104 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 56 | - | - | 28 | - | - | 27 |
| White* | 49.4 | (45.7 - 53.1) | 846 | 40.1 | (34.9 - 45.6) | 420 | 59.0 | (53.4 - 64.3) | 425 |
| All other races | - | - | 26 | - | - | 14 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 20 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 70.6 | (67.0 - 74.0) | 1,008 | 70.6 | (65.4 - 75.3) | 521 | 70.7 | (65.6 - 75.3) | 481 |
| Age | | | | | | | | | |
| 15 or younger | 71.9 | (66.2 - 77.0) | 448 | 72.4 | (63.9 - 79.5) | 229 | 71.8 | (63.7 - 78.6) | 214 |
| 16 or 17 | 70.7 | (65.9 - 75.0) | 480 | 70.6 | (63.5 - 76.9) | 245 | 70.7 | (63.8 - 76.7) | 235 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 72.0 | (64.8 - 78.2) | 290 | 72.9 | (62.1 - 81.6) | 149 | 72.2 | (61.3 - 81.0) | 139 |
| 10th | 71.1 | (65.0 - 76.4) | 236 | 68.7 | (60.8 - 75.6) | 135 | 73.8 | (64.4 - 81.4) | 100 |
| 11th | 71.9 | (65.2 - 77.7) | 270 | 70.5 | (61.6 - 78.1) | 124 | 73.2 | (63.1 - 81.3) | 146 |
| 12th | 68.5 | (59.6 - 76.2) | 194 | 70.5 | (56.7 - 81.3) | 105 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 60 | - | - | 31 | - | - | 28 |
| White* | 71.1 | (67.4 - 74.5) | 842 | 70.8 | (65.2 - 75.8) | 419 | 71.6 | (66.2 - 76.4) | 422 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 19 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN72: Percentage of students who ate fruit one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 85.3 | (82.3 - 87.8) | 1,010 | 82.0 | (78.2 - 85.2) | 520 | 88.9 | (85.7 - 91.4) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 85.1 | (81.2 - 88.3) | 448 | 82.8 | (76.9 - 87.4) | 227 | 87.6 | (82.3 - 91.4) | 216 |
| 16 or 17 | 85.6 | (81.5 - 88.9) | 482 | 81.5 | (76.0 - 86.0) | 246 | 90.0 | (85.2 - 93.4) | 236 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 86.3 | (81.9 - 89.8) | 288 | 84.9 | (78.4 - 89.7) | 145 | 88.3 | (82.0 - 92.6) | 141 |
| 10th | 81.6 | (77.3 - 85.3) | 239 | 77.9 | (72.0 - 82.8) | 136 | 86.2 | (80.4 - 90.4) | 102 |
| 11th | 86.1 | (81.1 - 89.9) | 273 | 81.3 | (73.9 - 86.9) | 127 | 90.7 | (83.6 - 94.9) | 146 |
| 12th | 87.4 | (79.0 - 92.7) | 191 | 85.1 | (74.4 - 91.8) | 103 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 86.7 | (84.1 - 88.9) | 844 | 83.2 | (79.4 - 86.3) | 418 | 90.4 | (87.0 - 93.0) | 425 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 17 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN73: Percentage of students who ate green salad one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 65.8 | (62.3 - 69.2) | 1,013 | 63.3 | (58.5 - 68.0) | 524 | 68.3 | (63.6 - 72.7) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 62.2 | (57.5 - 66.7) | 452 | 61.3 | (55.5 - 66.8) | 231 | 62.6 | (55.7 - 69.1) | 216 |
| 16 or 17 | 68.5 | (64.0 - 72.7) | 482 | 66.8 | (59.3 - 73.5) | 246 | 70.4 | (64.0 - 76.1) | 236 |
| 18 or older | - | - | 77 | - | - | 46 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 63.9 | (59.1 - 68.4) | 290 | 62.9 | (55.8 - 69.6) | 148 | 64.9 | (58.7 - 70.7) | 140 |
| 10th | 60.1 | (52.7 - 67.1) | 239 | 58.4 | (49.6 - 66.8) | 136 | 61.8 | (49.5 - 72.7) | 102 |
| 11th | 64.5 | (58.2 - 70.4) | 273 | 59.1 | (49.9 - 67.7) | 127 | 69.7 | (60.3 - 77.7) | 146 |
| 12th | 75.0 | (66.8 - 81.7) | 192 | 73.4 | (61.0 - 83.0) | 104 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 64.4 | (60.7 - 67.9) | 845 | 61.4 | (56.3 - 66.3) | 421 | 67.6 | (62.4 - 72.3) | 423 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN74: Percentage of students who ate potatoes one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 73.2 | (70.0 - 76.2) | 1,001 | 73.4 | (68.6 - 77.7) | 513 | 73.1 | (69.1 - 76.8) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 72.9 | (68.5 - 76.8) | 446 | 73.3 | (66.8 - 78.9) | 226 | 72.9 | (66.5 - 78.4) | 216 |
| 16 or 17 | 74.2 | (69.3 - 78.6) | 478 | 76.0 | (68.7 - 82.0) | 242 | 72.3 | (65.7 - 78.1) | 236 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 72.9 | (66.8 - 78.3) | 287 | 74.2 | (65.5 - 81.4) | 145 | 71.8 | (63.8 - 78.6) | 140 |
| 10th | 74.1 | (67.4 - 79.9) | 238 | 76.4 | (67.3 - 83.6) | 135 | 72.2 | (62.8 - 79.9) | 102 |
| 11th | 72.5 | (66.6 - 77.7) | 271 | 71.1 | (63.6 - 77.6) | 125 | 73.8 | (65.7 - 80.7) | 146 |
| 12th | 73.8 | (66.6 - 80.0) | 187 | - | - | 99 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 28 |
| White* | 74.1 | (70.4 - 77.5) | 837 | 75.0 | (69.4 - 79.8) | 412 | 73.4 | (68.9 - 77.4) | 424 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 26 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN75: Percentage of students who ate carrots one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 54.4 | (50.9 - 57.9) | 1,012 | 54.3 | (49.5 - 59.0) | 522 | 54.9 | (49.8 - 59.9) | 484 |
| 15 or younger | 54.2 | (48.5 - 59.8) | 450 | 55.1 | (47.4 - 62.5) | 228 | 53.6 | (46.4 - 60.6) | 217 |
| 16 or 17 | 54.4 | (49.4 - 59.3) | 483 | 54.6 | (48.3 - 60.7) | 247 | 54.3 | (47.1 - 61.2) | 236 |
| 18 or older | - | - | 77 | - | - | 46 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 52.3 | (45.3 - 59.3) | 291 | 53.9 | (43.5 - 63.9) | 148 | 51.6 | (43.9 - 59.1) | 141 |
| 10th | 56.7 | (49.0 - 64.0) | 239 | 56.2 | (48.6 - 63.6) | 135 | 56.7 | (44.9 - 67.8) | 103 |
| 11th | 51.7 | (45.0 - 58.4) | 272 | 49.5 | (40.8 - 58.4) | 126 | 53.8 | (44.5 - 62.8) | 146 |
| 12th | 58.9 | (52.8 - 64.7) | 191 | 59.3 | (49.6 - 68.3) | 104 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 29 | - | - | 28 |
| White* | 53.7 | (50.1 - 57.2) | 846 | 52.7 | (47.5 - 57.8) | 420 | 54.8 | (49.7 - 59.7) | 425 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 15 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN76: Percentage of students who ate other vegetables one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 82.2 | (79.2 - 84.9) | 1,009 | 78.1 | (73.2 - 82.4) | 520 | 87.0 | (83.2 - 90.0) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 80.5 | (76.3 - 84.1) | 449 | 78.2 | (71.4 - 83.8) | 228 | 83.5 | (76.9 - 88.4) | 216 |
| 16 or 17 | 84.3 | (79.9 - 87.9) | 481 | 80.6 | (73.8 - 86.0) | 245 | 88.2 | (82.7 - 92.2) | 236 |
| 18 or older | - | - | 77 | - | - | 46 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 78.7 | (73.2 - 83.4) | 289 | 78.3 | (68.2 - 85.9) | 146 | 79.5 | (71.9 - 85.5) | 141 |
| 10th | 83.0 | (76.4 - 88.0) | 239 | 77.4 | (68.9 - 84.2) | 136 | 91.0 | (83.4 - 95.3) | 102 |
| 11th | 86.1 | (78.7 - 91.2) | 272 | 81.7 | (68.9 - 89.9) | 126 | 90.3 | (84.0 - 94.3) | 146 |
| 12th | 83.7 | (77.6 - 88.4) | 190 | 79.5 | (67.9 - 87.6) | 103 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 82.9 | (79.6 - 85.7) | 841 | 78.5 | (72.9 - 83.1) | 416 | 87.5 | (83.4 - 90.8) | 424 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 18 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 17.1 | (14.2 - 20.4) | 982 | 17.7 | (13.8 - 22.4) | 500 | 16.6 | (13.4 - 20.4) | 477 |
| Age | | | | | | | | | |
| 15 or younger | 16.0 | (12.3 - 20.4) | 434 | 17.7 | (12.9 - 23.8) | 219 | 14.5 | (10.0 - 20.5) | 211 |
| 16 or 17 | 16.7 | (13.0 - 21.1) | 471 | 16.2 | (11.5 - 22.4) | 236 | 17.1 | (12.5 - 23.0) | 235 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 16.7 | (12.3 - 22.2) | 282 | 15.8 | (10.5 - 23.0) | 142 | 17.9 | (12.1 - 25.6) | 138 |
| 10th | 14.6 | (10.1 - 20.7) | 233 | 18.6 | (12.6 - 26.7) | 132 | 9.7 | (5.6 - 16.1) | 100 |
| 11th | 16.3 | (11.7 - 22.3) | 266 | 14.9 | (9.8 - 22.0) | 120 | 17.7 | (11.9 - 25.4) | 146 |
| 12th | 19.5 | (13.8 - 26.8) | 184 | - | - | 98 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 15 | - | - | 10 | - | - | 5 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 27 |
| White* | 14.6 | (12.1 - 17.6) | 827 | 14.8 | (11.3 - 19.1) | 405 | 14.4 | (11.3 - 18.3) | 421 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 45 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 26.2 | (22.8 - 29.9) | 1,000 | 27.5 | (23.2 - 32.2) | 514 | 25.0 | (20.4 - 30.3) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 26.4 | (21.8 - 31.5) | 443 | 29.6 | (23.2 - 36.8) | 225 | 23.2 | (16.7 - 31.3) | 213 |
| 16 or 17 | 24.0 | (19.8 - 28.8) | 477 | 22.5 | (17.6 - 28.2) | 242 | 25.6 | (19.4 - 33.1) | 235 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 28.8 | (22.7 - 35.8) | 286 | 29.2 | (21.5 - 38.4) | 145 | 28.8 | (20.3 - 39.2) | 139 |
| 10th | 19.3 | (13.8 - 26.4) | 236 | 22.4 | (14.7 - 32.6) | 135 | 15.6 | (10.0 - 23.6) | 100 |
| 11th | 25.7 | (19.5 - 33.1) | 270 | 24.8 | (16.9 - 34.8) | 124 | 26.6 | (18.7 - 36.3) | 146 |
| 12th | 28.9 | (21.4 - 37.8) | 190 | 31.6 | (22.9 - 41.9) | 102 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 24.4 | (21.0 - 28.2) | 838 | 25.5 | (21.0 - 30.6) | 415 | 23.3 | (18.5 - 28.9) | 422 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 27 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.1 | (7.1 - 11.7) | 1,000 | 12.1 | (9.2 - 15.8) | 514 | 5.8 | (4.1 - 8.2) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 8.9 | (6.1 - 12.7) | 443 | 10.6 | (6.7 - 16.3) | 225 | 6.8 | (4.1 - 11.0) | 213 |
| 16 or 17 | 8.8 | (6.2 - 12.3) | 477 | 12.2 | (8.4 - 17.4) | 242 | 5.1 | (2.9 - 8.8) | 235 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 8.7 | (5.9 - 12.4) | 286 | 9.3 | (5.4 - 15.4) | 145 | 7.4 | (4.4 - 12.3) | 139 |
| 10th | 10.2 | (6.4 - 15.9) | 236 | 14.3 | (8.6 - 22.8) | 135 | 5.1 | (2.0 - 12.2) | 100 |
| 11th | 6.7 | (4.1 - 10.8) | 270 | 10.0 | (5.8 - 16.7) | 124 | 3.7 | (1.6 - 8.5) | 146 |
| 12th | 10.2 | (5.8 - 17.4) | 190 | 13.4 | (7.2 - 23.6) | 102 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 8.3 | (6.4 - 10.6) | 838 | 12.0 | (9.1 - 15.7) | 415 | 4.3 | (2.7 - 6.8) | 422 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 27 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 55.0 | (51.5 - 58.5) | 1,000 | 54.6 | (49.8 - 59.4) | 514 | 55.3 | (50.2 - 60.2) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 54.5 | (49.4 - 59.4) | 443 | 55.7 | (49.5 - 61.7) | 225 | 52.8 | (44.0 - 61.4) | 213 |
| 16 or 17 | 55.0 | (50.5 - 59.4) | 477 | 53.1 | (46.4 - 59.6) | 242 | 57.0 | (50.2 - 63.6) | 235 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 56.2 | (50.1 - 62.1) | 286 | 55.6 | (49.5 - 61.6) | 145 | 56.7 | (45.9 - 67.0) | 139 |
| 10th | 49.9 | (44.1 - 55.7) | 236 | 49.8 | (41.9 - 57.7) | 135 | 49.4 | (38.4 - 60.4) | 100 |
| 11th | 54.3 | (48.8 - 59.7) | 270 | 51.4 | (43.5 - 59.2) | 124 | 57.1 | (48.4 - 65.4) | 146 |
| 12th | 59.8 | (51.4 - 67.6) | 190 | 61.8 | (49.3 - 72.9) | 102 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 54.4 | (50.7 - 58.1) | 838 | 53.4 | (48.2 - 58.5) | 415 | 55.6 | (50.1 - 61.0) | 422 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 27 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey
Summary Tables - Weighted Data

QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 15.8 | (12.8 - 19.4) | 1,000 | 17.6 | (14.3 - 21.5) | 514 | 13.9 | (10.3 - 18.5) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 17.5 | (13.6 - 22.1) | 443 | 20.4 | (15.2 - 27.0) | 225 | 14.3 | (9.4 - 20.9) | 213 |
| 16 or 17 | 13.7 | (10.1 - 18.2) | 477 | 14.4 | (10.5 - 19.3) | 242 | 12.9 | (8.5 - 19.0) | 235 |
| 18 or older | - | - | 78 | - | - | 46 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 18.5 | (13.7 - 24.7) | 286 | 19.7 | (13.6 - 27.6) | 145 | 17.6 | (11.2 - 26.7) | 139 |
| 10th | 11.4 | (7.2 - 17.6) | 236 | 15.3 | (9.7 - 23.2) | 135 | 6.6 | (2.9 - 14.0) | 100 |
| 11th | 13.7 | (9.2 - 19.8) | 270 | 15.3 | (9.9 - 22.9) | 124 | 12.1 | (6.9 - 20.3) | 146 |
| 12th | 17.2 | (10.7 - 26.4) | 190 | 17.9 | (11.1 - 27.7) | 102 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 13.1 | (10.3 - 16.5) | 838 | 14.5 | (11.3 - 18.3) | 415 | 11.7 | (8.2 - 16.3) | 422 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 27 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 14.7 | (12.5 - 17.3) | 994 | 15.8 | (12.5 - 19.9) | 508 | 13.7 | (11.0 - 16.9) | 481 |
| 15 or younger | 13.4 | (10.8 - 16.5) | 441 | 15.3 | (12.0 - 19.4) | 223 | 11.6 | (8.1 - 16.3) | 214 |
| 16 or 17 | 14.0 | (11.1 - 17.6) | 476 | 14.6 | (10.0 - 20.7) | 240 | 13.5 | (9.6 - 18.6) | 236 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 12.1 | (9.0 - 16.1) | 285 | 13.6 | (9.4 - 19.2) | 144 | 10.8 | (6.9 - 16.4) | 139 |
| 10th | 15.9 | (11.8 - 21.3) | 236 | 19.8 | (13.3 - 28.4) | 133 | 11.4 | (7.2 - 17.5) | 102 |
| 11th | 13.7 | (9.7 - 19.0) | 269 | 13.2 | (8.3 - 20.4) | 123 | 14.1 | (9.2 - 20.9) | 146 |
| 12th | 16.6 | (12.2 - 22.4) | 186 | - | - | 99 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 28 |
| White* | 12.5 | (10.5 - 14.7) | 833 | 14.0 | (11.0 - 17.7) | 409 | 10.9 | (8.4 - 14.1) | 423 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 6.6 | (5.0 - 8.7) | 994 | 8.3 | (6.0 - 11.3) | 508 | 4.7 | (3.2 - 6.9) | 481 |
| 15 or younger | 8.5 | (6.6 - 10.9) | 441 | 9.1 | (6.3 - 13.0) | 223 | 7.7 | (4.8 - 12.2) | 214 |
| 16 or 17 | 4.7 | (3.0 - 7.2) | 476 | 6.1 | (3.7 - 10.0) | 240 | 3.1 | (1.5 - 6.4) | 236 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 8.9 | (6.3 - 12.4) | 285 | 9.9 | (6.0 - 15.9) | 144 | 7.3 | (4.2 - 12.4) | 139 |
| 10th | 6.5 | (3.9 - 10.7) | 236 | 6.9 | (3.8 - 12.2) | 133 | 6.1 | (2.7 - 13.1) | 102 |
| 11th | 3.9 | (1.8 - 8.3) | 269 | 5.7 | (2.4 - 12.9) | 123 | 2.3 | (0.7 - 7.5) | 146 |
| 12th | 5.2 | (2.1 - 12.5) | 186 | - | - | 99 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 28 |
| White* | 5.8 | (4.2 - 8.1) | 833 | 8.3 | (5.7 - 12.2) | 409 | 3.2 | (1.8 - 5.5) | 423 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 63.8 | (60.1 - 67.3) | 994 | 63.1 | (58.3 - 67.6) | 508 | 64.3 | (58.9 - 69.4) | 481 |
| 15 or younger | 61.2 | (55.7 - 66.4) | 441 | 62.3 | (55.1 - 68.9) | 223 | 59.6 | (52.9 - 66.0) | 214 |
| 16 or 17 | 65.4 | (59.8 - 70.6) | 476 | 65.5 | (58.6 - 71.8) | 240 | 65.3 | (57.1 - 72.7) | 236 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 60.4 | (53.7 - 66.8) | 285 | 61.7 | (52.7 - 70.0) | 144 | 59.0 | (51.3 - 66.4) | 139 |
| 10th | 64.2 | (58.1 - 70.0) | 236 | 65.3 | (57.4 - 72.4) | 133 | 62.4 | (51.7 - 72.1) | 102 |
| 11th | 62.6 | (56.8 - 68.0) | 269 | 60.9 | (53.7 - 67.6) | 123 | 64.1 | (53.8 - 73.2) | 146 |
| 12th | 68.5 | (61.2 - 75.0) | 186 | - | - | 99 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 28 |
| White* | 62.7 | (58.7 - 66.6) | 833 | 61.6 | (55.7 - 67.1) | 409 | 64.0 | (58.2 - 69.3) | 423 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 29.5 | (26.4 - 32.7) | 994 | 30.3 | (25.8 - 35.3) | 508 | 28.3 | (24.3 - 32.7) | 481 |
| Age | | | | | | | | | |
| 15 or younger | 25.6 | (21.9 - 29.7) | 441 | 27.5 | (22.2 - 33.5) | 223 | 23.5 | (18.1 - 29.9) | 214 |
| 16 or 17 | 30.6 | (26.0 - 35.6) | 476 | 31.6 | (24.7 - 39.5) | 240 | 29.5 | (23.6 - 36.1) | 236 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 26.7 | (22.2 - 31.7) | 285 | 26.5 | (20.4 - 33.7) | 144 | 26.2 | (19.2 - 34.8) | 139 |
| 10th | 26.3 | (22.2 - 30.7) | 236 | 30.7 | (25.1 - 36.9) | 133 | 21.1 | (15.9 - 27.4) | 102 |
| 11th | 28.5 | (23.1 - 34.6) | 269 | 25.2 | (18.7 - 33.1) | 123 | 31.5 | (23.8 - 40.4) | 146 |
| 12th | 34.8 | (27.6 - 42.8) | 186 | - | - | 99 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 28 |
| White* | 27.3 | (24.5 - 30.3) | 833 | 29.3 | (25.0 - 33.9) | 409 | 25.3 | (21.2 - 30.0) | 423 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 9.3 | (7.4 - 11.7) | 982 | 9.9 | (7.0 - 13.7) | 500 | 8.9 | (6.6 - 11.8) | 477 |
| 15 or younger | 8.2 | (5.8 - 11.4) | 434 | 8.4 | (5.4 - 12.9) | 219 | 8.1 | (4.9 - 13.2) | 211 |
| 16 or 17 | 8.3 | (6.0 - 11.3) | 471 | 8.8 | (5.4 - 14.0) | 236 | 7.7 | (4.8 - 12.1) | 235 |
| 18 or older | - | - | 75 | - | - | 44 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 8.4 | (5.5 - 12.5) | 282 | 8.2 | (4.8 - 13.6) | 142 | 8.7 | (4.8 - 15.1) | 138 |
| 10th | 8.4 | (5.0 - 13.9) | 233 | 9.8 | (4.6 - 19.6) | 132 | 6.8 | (3.5 - 12.7) | 100 |
| 11th | 8.1 | (5.1 - 12.5) | 266 | 7.8 | (4.3 - 13.8) | 120 | 8.3 | (4.8 - 13.9) | 146 |
| 12th | 11.9 | (7.5 - 18.4) | 184 | - | - | 98 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 15 | - | - | 10 | - | - | 5 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 27 |
| White* | 7.6 | (5.9 - 9.7) | 827 | 8.6 | (6.1 - 12.1) | 405 | 6.6 | (4.6 - 9.4) | 421 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 45 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.1 | (20.8 - 27.7) | 998 | 29.0 | (24.7 - 33.8) | 517 | 18.3 | (14.3 - 23.1) | 475 |
| Age | | | | | | | | | |
| 15 or younger | 24.0 | (19.1 - 29.6) | 443 | 29.0 | (21.4 - 38.0) | 226 | 18.0 | (12.7 - 24.9) | 212 |
| 16 or 17 | 23.2 | (19.1 - 27.9) | 479 | 28.3 | (22.6 - 34.7) | 246 | 17.6 | (12.8 - 23.8) | 233 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 23.0 | (16.8 - 30.6) | 288 | 28.2 | (18.8 - 39.9) | 148 | 15.8 | (9.5 - 25.1) | 138 |
| 10th | 27.9 | (22.4 - 34.1) | 236 | 35.0 | (27.7 - 43.0) | 134 | 19.2 | (12.1 - 28.9) | 101 |
| 11th | 22.6 | (16.9 - 29.7) | 270 | 24.3 | (16.9 - 33.7) | 126 | 21.1 | (14.3 - 30.0) | 144 |
| 12th | 22.5 | (16.9 - 29.3) | 187 | 28.7 | (21.3 - 37.4) | 102 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 23.3 | (19.9 - 27.2) | 834 | 29.7 | (24.9 - 34.9) | 416 | 16.7 | (12.6 - 21.8) | 417 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 29 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 24.6 | (21.3 - 28.1) | 998 | 20.5 | (16.4 - 25.3) | 517 | 29.5 | (24.8 - 34.6) | 475 |
| Age | | | | | | | | | |
| 15 or younger | 22.5 | (18.5 - 27.0) | 443 | 16.6 | (12.5 - 21.8) | 226 | 29.4 | (23.1 - 36.7) | 212 |
| 16 or 17 | 26.1 | (21.8 - 31.0) | 479 | 22.2 | (16.5 - 29.2) | 246 | 30.5 | (23.6 - 38.3) | 233 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 20.1 | (15.2 - 26.1) | 288 | 14.3 | (9.1 - 21.8) | 148 | 26.9 | (18.8 - 37.0) | 138 |
| 10th | 23.8 | (19.5 - 28.8) | 236 | 16.5 | (11.9 - 22.4) | 134 | 33.5 | (25.5 - 42.5) | 101 |
| 11th | 25.9 | (19.2 - 33.9) | 270 | 27.6 | (19.1 - 38.0) | 126 | 24.3 | (15.7 - 35.6) | 144 |
| 12th | 28.5 | (21.8 - 36.4) | 187 | 22.4 | (13.6 - 34.7) | 102 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 24.4 | (21.0 - 28.0) | 834 | 19.3 | (15.2 - 24.2) | 416 | 29.6 | (24.7 - 35.0) | 417 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 29 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.3 | (13.8 - 19.2) | 998 | 19.7 | (15.9 - 24.1) | 517 | 12.2 | (9.2 - 16.0) | 475 |
| Age | | | | | | | | | |
| 15 or younger | 18.1 | (14.3 - 22.6) | 443 | 21.8 | (16.1 - 29.0) | 226 | 13.4 | (9.3 - 18.9) | 212 |
| 16 or 17 | 13.2 | (10.0 - 17.3) | 479 | 16.3 | (11.3 - 22.9) | 246 | 9.8 | (6.3 - 15.0) | 233 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 17.6 | (12.9 - 23.6) | 288 | 21.1 | (14.3 - 30.0) | 148 | 12.2 | (7.4 - 19.5) | 138 |
| 10th | 18.0 | (13.8 - 23.2) | 236 | 22.8 | (16.4 - 30.8) | 134 | 12.2 | (7.0 - 20.3) | 101 |
| 11th | 14.7 | (10.3 - 20.6) | 270 | 16.1 | (9.8 - 25.2) | 126 | 13.4 | (8.3 - 21.1) | 144 |
| 12th | 13.6 | (9.3 - 19.5) | 187 | 18.1 | (11.7 - 27.0) | 102 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 15.8 | (13.0 - 19.1) | 834 | 20.2 | (16.1 - 25.2) | 416 | 11.2 | (8.1 - 15.2) | 417 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 29 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-----|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 10.3 | (8.2 - 12.8) | 998 | 12.6 | (10.0 - 15.8) | 517 | 7.6 | (5.1 - 11.2) | 475 |
| Age | | | | | | | | | |
| 15 or younger | 10.6 | (7.7 - 14.4) | 443 | 13.6 | (9.2 - 19.6) | 226 | 7.3 | (4.4 - 11.9) | 212 |
| 16 or 17 | 9.0 | (6.4 - 12.6) | 479 | 10.7 | (7.5 - 15.2) | 246 | 7.1 | (4.0 - 12.3) | 233 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 11.5 | (7.7 - 16.8) | 288 | 15.0 | (9.6 - 22.7) | 148 | 7.1 | (3.8 - 13.0) | 138 |
| 10th | 10.2 | (6.6 - 15.5) | 236 | 14.0 | (8.8 - 21.6) | 134 | 5.5 | (2.3 - 12.5) | 101 |
| 11th | 10.0 | (6.3 - 15.5) | 270 | 10.9 | (6.4 - 17.9) | 126 | 9.2 | (4.7 - 17.2) | 144 |
| 12th | 8.3 | (5.1 - 13.2) | 187 | 9.2 | (5.3 - 15.7) | 102 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 9.8 | (7.6 - 12.6) | 834 | 12.7 | (9.8 - 16.3) | 416 | 6.7 | (4.2 - 10.3) | 417 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 29 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN79: Percentage of students who ate breakfast on all of the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 31.7 | (28.2 - 35.4) | 1,013 | 31.9 | (27.1 - 37.2) | 523 | 31.4 | (27.1 - 36.1) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 35.5 | (30.7 - 40.7) | 452 | 42.2 | (35.7 - 49.0) | 230 | 28.4 | (22.6 - 35.1) | 217 |
| 16 or 17 | 28.9 | (24.3 - 33.9) | 482 | 25.4 | (19.9 - 31.9) | 247 | 32.7 | (26.8 - 39.2) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 38.9 | (33.4 - 44.6) | 291 | 46.5 | (38.7 - 54.6) | 148 | 31.2 | (25.0 - 38.2) | 141 |
| 10th | 32.1 | (25.4 - 39.6) | 240 | 36.0 | (27.6 - 45.3) | 137 | 27.5 | (18.2 - 39.3) | 102 |
| 11th | 25.5 | (20.2 - 31.7) | 272 | 22.1 | (15.3 - 30.8) | 126 | 28.8 | (22.1 - 36.5) | 146 |
| 12th | 31.7 | (25.7 - 38.4) | 191 | 24.4 | (17.3 - 33.3) | 103 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 32.4 | (28.8 - 36.3) | 846 | 33.2 | (27.7 - 39.2) | 420 | 31.7 | (27.0 - 36.8) | 425 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.2 | (14.8 - 22.3) | 1,013 | 20.2 | (15.5 - 25.9) | 523 | 15.9 | (12.5 - 19.9) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 16.6 | (13.0 - 21.0) | 452 | 15.7 | (11.0 - 21.8) | 230 | 17.7 | (13.4 - 22.9) | 217 |
| 16 or 17 | 17.0 | (12.9 - 22.1) | 482 | 21.3 | (15.4 - 28.7) | 247 | 12.2 | (8.3 - 17.7) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 16.7 | (12.4 - 22.0) | 291 | 15.2 | (10.8 - 20.9) | 148 | 17.9 | (12.6 - 24.8) | 141 |
| 10th | 15.7 | (10.7 - 22.5) | 240 | 14.6 | (7.9 - 25.5) | 137 | 17.3 | (11.5 - 25.1) | 102 |
| 11th | 17.1 | (12.6 - 22.7) | 272 | 21.3 | (13.7 - 31.6) | 126 | 13.1 | (9.0 - 18.6) | 146 |
| 12th | 20.3 | (13.4 - 29.6) | 191 | 26.6 | (16.8 - 39.4) | 103 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 17.5 | (14.3 - 21.2) | 846 | 20.3 | (15.2 - 26.5) | 420 | 14.5 | (11.3 - 18.3) | 425 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 40.8 | (36.9 - 44.8) | 1,013 | 46.4 | (41.0 - 51.9) | 524 | 34.6 | (30.3 - 39.2) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 47.9 | (42.7 - 53.2) | 451 | 52.9 | (46.1 - 59.6) | 230 | 42.7 | (36.1 - 49.6) | 216 |
| 16 or 17 | 36.2 | (32.1 - 40.5) | 483 | 42.5 | (36.1 - 49.1) | 248 | 29.2 | (24.1 - 35.0) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 52.9 | (46.3 - 59.4) | 292 | 57.5 | (50.2 - 64.5) | 149 | 47.7 | (38.1 - 57.5) | 141 |
| 10th | 40.4 | (34.8 - 46.1) | 238 | 46.8 | (38.2 - 55.6) | 136 | 32.6 | (26.4 - 39.4) | 101 |
| 11th | 35.6 | (30.7 - 40.8) | 272 | 40.2 | (31.4 - 49.7) | 127 | 31.1 | (25.0 - 38.0) | 145 |
| 12th | 34.5 | (27.3 - 42.6) | 192 | 42.4 | (31.1 - 54.5) | 103 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 41.9 | (38.1 - 45.8) | 845 | 49.1 | (44.0 - 54.2) | 421 | 34.6 | (30.2 - 39.3) | 423 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 17.6 | (14.7 - 21.0) | 1,013 | 17.2 | (13.5 - 21.7) | 524 | 18.2 | (14.7 - 22.2) | 483 |
| Age | | | | | | | | | |
| 15 or younger | 12.3 | (9.3 - 16.2) | 451 | 10.3 | (7.1 - 14.7) | 230 | 14.5 | (10.0 - 20.5) | 216 |
| 16 or 17 | 19.9 | (16.1 - 24.3) | 483 | 20.4 | (15.5 - 26.4) | 248 | 19.3 | (14.5 - 25.2) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 10.9 | (7.6 - 15.5) | 292 | 9.8 | (5.9 - 15.8) | 149 | 11.6 | (7.2 - 18.4) | 141 |
| 10th | 17.9 | (14.6 - 21.8) | 238 | 16.2 | (11.6 - 22.2) | 136 | 20.4 | (14.3 - 28.3) | 101 |
| 11th | 18.9 | (15.2 - 23.3) | 272 | 19.4 | (13.8 - 26.6) | 127 | 18.4 | (13.1 - 25.2) | 145 |
| 12th | 21.8 | (14.7 - 31.1) | 192 | 22.3 | (12.9 - 35.8) | 103 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 17.2 | (14.0 - 20.9) | 845 | 16.7 | (12.8 - 21.5) | 421 | 17.5 | (13.7 - 22.0) | 423 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 23.6 | (20.7 - 26.7) | 1,013 | 27.5 | (23.3 - 32.1) | 524 | 19.3 | (16.2 - 22.9) | 483 |
| 15 or younger | 25.6 | (22.0 - 29.5) | 451 | 31.0 | (26.5 - 35.8) | 230 | 20.1 | (15.1 - 26.1) | 216 |
| 16 or 17 | 22.0 | (18.8 - 25.6) | 483 | 25.3 | (19.9 - 31.6) | 248 | 18.4 | (14.7 - 22.9) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 25.9 | (21.3 - 31.1) | 292 | 31.4 | (25.6 - 37.9) | 149 | 20.3 | (14.2 - 28.1) | 141 |
| 10th | 27.3 | (22.4 - 32.8) | 238 | 30.5 | (23.2 - 39.0) | 136 | 23.5 | (17.4 - 31.0) | 101 |
| 11th | 18.6 | (15.1 - 22.7) | 272 | 18.8 | (12.9 - 26.6) | 127 | 18.4 | (14.0 - 23.7) | 145 |
| 12th | 23.2 | (16.5 - 31.6) | 192 | 29.2 | (19.6 - 41.0) | 103 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 59 | - | - | 30 | - | - | 28 |
| White* | 23.6 | (20.6 - 26.9) | 845 | 28.3 | (24.0 - 32.9) | 421 | 18.8 | (15.7 - 22.3) | 423 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 14 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-------|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.4 | (22.8 - 28.2) | 1,005 | 26.5 | (23.3 - 30.1) | 519 | 24.2 | (20.3 - 28.6) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 29.8 | (26.0 - 34.0) | 446 | 31.6 | (26.3 - 37.4) | 227 | 28.0 | (23.0 - 33.6) | 214 |
| 16 or 17 | 22.0 | (18.3 - 26.2) | 482 | 23.0 | (18.6 - 28.0) | 248 | 21.0 | (15.9 - 27.1) | 234 |
| 18 or older | - | - | 75 | - | - | 43 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 30.9 | (26.0 - 36.3) | 287 | 33.2 | (26.9 - 40.2) | 146 | 27.9 | (21.6 - 35.2) | 139 |
| 10th | 25.9 | (21.6 - 30.6) | 239 | 25.5 | (20.3 - 31.7) | 137 | 26.6 | (19.8 - 34.7) | 101 |
| 11th | 25.4 | (21.0 - 30.3) | 272 | 28.5 | (22.1 - 35.8) | 126 | 22.5 | (16.4 - 30.0) | 146 |
| 12th | 18.6 | (14.0 - 24.3) | 190 | 16.6 | (11.6 - 23.2) | 102 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 27 |
| White* | 25.2 | (22.4 - 28.4) | 842 | 26.1 | (22.7 - 29.9) | 419 | 24.4 | (20.1 - 29.2) | 422 |
| All other races | - | - | 27 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 22 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 26.4 | (23.3 - 29.8) | 1,011 | 27.3 | (23.4 - 31.5) | 522 | 25.6 | (21.6 - 30.1) | 484 |
| 15 or younger | 30.9 | (26.9 - 35.2) | 448 | 30.7 | (25.5 - 36.3) | 228 | 31.3 | (25.6 - 37.7) | 216 |
| 16 or 17 | 24.0 | (19.6 - 29.1) | 484 | 26.0 | (20.1 - 32.9) | 248 | 21.7 | (16.9 - 27.5) | 236 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 31.6 | (27.9 - 35.5) | 289 | 33.6 | (27.6 - 40.2) | 147 | 29.6 | (23.4 - 36.6) | 141 |
| 10th | 27.2 | (20.5 - 35.0) | 239 | 24.4 | (16.1 - 35.2) | 137 | 31.0 | (22.8 - 40.7) | 101 |
| 11th | 25.7 | (20.3 - 32.0) | 273 | 29.9 | (22.4 - 38.7) | 127 | 21.8 | (15.4 - 29.9) | 146 |
| 12th | 19.8 | (14.8 - 26.0) | 191 | 20.3 | (13.8 - 28.8) | 102 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 28 | - | - | 28 |
| White* | 25.9 | (22.5 - 29.6) | 846 | 26.3 | (22.0 - 31.2) | 421 | 25.5 | (21.4 - 30.2) | 424 |
| All other races | - | - | 28 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 16 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 30.6 | (24.5 - 37.4) | 1,005 | 36.1 | (28.8 - 44.0) | 517 | 24.4 | (17.6 - 32.8) | 484 |
| 15 or younger | 45.0 | (35.3 - 55.1) | 444 | 49.8 | (39.8 - 59.9) | 225 | 40.2 | (28.8 - 52.8) | 216 |
| 16 or 17 | 19.7 | (15.1 - 25.2) | 482 | 26.2 | (18.7 - 35.3) | 246 | 12.6 | (8.4 - 18.5) | 236 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 56.0 | (44.3 - 67.1) | 287 | 60.3 | (48.2 - 71.2) | 145 | 51.9 | (37.4 - 66.1) | 141 |
| 10th | 19.3 | (12.8 - 28.0) | 238 | 23.5 | (14.2 - 36.2) | 136 | 14.2 | (8.4 - 23.0) | 101 |
| 11th | 22.4 | (17.0 - 29.1) | 272 | 29.9 | (21.2 - 40.4) | 126 | 15.4 | (9.5 - 23.8) | 146 |
| 12th | 21.4 | (14.4 - 30.6) | 191 | 29.0 | (17.5 - 43.9) | 102 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 28 |
| White* | 28.1 | (21.8 - 35.3) | 841 | 33.9 | (26.2 - 42.4) | 416 | 22.3 | (15.5 - 31.0) | 424 |
| All other races | - | - | 27 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 22 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.7 | (15.2 - 27.6) | 1,005 | 23.7 | (17.5 - 31.3) | 517 | 17.4 | (11.3 - 25.8) | 484 |
| Age | | | | | | | | | |
| 15 or younger | 35.5 | (26.1 - 46.3) | 444 | 36.5 | (26.6 - 47.7) | 225 | 34.6 | (23.9 - 47.2) | 216 |
| 16 or 17 | 10.4 | (7.4 - 14.4) | 482 | 14.8 | (10.0 - 21.5) | 246 | 5.6 | (3.0 - 10.0) | 236 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 47.2 | (36.3 - 58.4) | 287 | 48.8 | (37.7 - 60.0) | 145 | 45.8 | (32.4 - 59.9) | 141 |
| 10th | 11.5 | (6.7 - 19.0) | 238 | 11.7 | (5.7 - 22.5) | 136 | 11.4 | (6.3 - 19.8) | 101 |
| 11th | 11.8 | (8.2 - 16.6) | 272 | 16.3 | (10.5 - 24.4) | 126 | 7.5 | (4.2 - 13.2) | 146 |
| 12th | 10.8 | (5.8 - 19.2) | 191 | 17.5 | (8.9 - 31.7) | 102 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 30 | - | - | 28 |
| White* | 21.5 | (15.8 - 28.5) | 841 | 25.3 | (18.7 - 33.4) | 416 | 17.6 | (11.4 - 26.2) | 424 |
| All other races | - | - | 27 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 22 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 83.4 | (80.2 - 86.2) | 989 | 79.4 | (75.0 - 83.2) | 508 | 88.1 | (84.2 - 91.2) | 477 |
| 15 or younger | 84.6 | (80.5 - 88.0) | 438 | 80.3 | (74.5 - 85.1) | 222 | 89.6 | (84.3 - 93.2) | 213 |
| 16 or 17 | 85.0 | (80.3 - 88.8) | 474 | 80.3 | (72.6 - 86.2) | 242 | 90.3 | (84.8 - 93.9) | 232 |
| 18 or older | - | - | 75 | - | - | 43 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 85.4 | (81.0 - 89.0) | 285 | 83.5 | (76.6 - 88.7) | 145 | 87.4 | (81.0 - 91.8) | 139 |
| 10th | 86.1 | (79.2 - 91.0) | 234 | 80.6 | (72.4 - 86.8) | 132 | 94.0 | (86.3 - 97.5) | 101 |
| 11th | 83.8 | (75.4 - 89.8) | 266 | 77.3 | (63.2 - 87.1) | 123 | 90.0 | (84.6 - 93.6) | 143 |
| 12th | 81.6 | (74.6 - 87.0) | 187 | 78.8 | (69.9 - 85.6) | 100 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 53 | - | - | 27 | - | - | 26 |
| White* | 87.0 | (84.0 - 89.5) | 835 | 83.1 | (78.7 - 86.8) | 414 | 90.9 | (87.4 - 93.5) | 420 |
| All other races | - | - | 25 | - | - | 15 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 38 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 26.7 | (23.7 - 29.8) | 989 | 28.8 | (24.7 - 33.3) | 508 | 23.9 | (20.0 - 28.3) | 477 |
| Age | | | | | | | | | |
| 15 or younger | 23.7 | (20.2 - 27.5) | 437 | 28.3 | (23.0 - 34.3) | 222 | 18.1 | (13.9 - 23.2) | 212 |
| 16 or 17 | 27.6 | (23.3 - 32.3) | 474 | 28.5 | (22.6 - 35.2) | 240 | 26.6 | (20.6 - 33.7) | 234 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 23.4 | (19.0 - 28.4) | 283 | 29.6 | (23.3 - 36.7) | 145 | 16.0 | (10.7 - 23.2) | 137 |
| 10th | 24.7 | (20.2 - 29.8) | 234 | 21.5 | (15.7 - 28.7) | 132 | 27.7 | (19.6 - 37.5) | 101 |
| 11th | 25.9 | (21.0 - 31.5) | 268 | 27.9 | (21.3 - 35.5) | 123 | 24.1 | (17.9 - 31.5) | 145 |
| 12th | 32.2 | (26.0 - 39.1) | 186 | - | - | 99 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 49 | - | - | 25 | - | - | 24 |
| White* | 25.2 | (21.9 - 28.7) | 839 | 27.4 | (22.7 - 32.6) | 416 | 22.7 | (18.7 - 27.3) | 422 |
| All other races | - | - | 25 | - | - | 15 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 38 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN87: Percentage of students who tried or used tobacco products (for example, cigarettes, cigars, cigarillos, Black and Milds, little cigars, or smokeless tobacco) for the first time during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 28.5 | (24.7 - 32.6) | 956 | 33.8 | (29.1 - 38.8) | 486 | 22.6 | (18.2 - 27.7) | 465 |
| Age | | | | | | | | | |
| 15 or younger | 24.2 | (19.7 - 29.3) | 424 | 31.2 | (25.0 - 38.2) | 211 | 16.9 | (12.3 - 22.8) | 209 |
| 16 or 17 | 29.4 | (24.3 - 35.1) | 458 | 33.7 | (27.0 - 41.0) | 233 | 24.8 | (19.0 - 31.6) | 225 |
| 18 or older | - | - | 72 | - | - | 41 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 22.2 | (16.7 - 28.9) | 278 | 26.1 | (19.0 - 34.7) | 138 | 17.5 | (11.2 - 26.3) | 138 |
| 10th | 28.0 | (22.1 - 34.8) | 233 | 34.5 | (27.1 - 42.7) | 132 | 20.0 | (13.3 - 28.9) | 101 |
| 11th | 25.8 | (19.9 - 32.8) | 254 | 32.0 | (22.7 - 43.0) | 114 | 20.4 | (14.4 - 28.2) | 140 |
| 12th | 35.1 | (26.2 - 45.1) | 174 | - | - | 94 | - | - | 80 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 11 | - | - | 5 |
| Hispanic/Latino | - | - | 44 | - | - | 22 | - | - | 21 |
| White* | 26.1 | (22.4 - 30.2) | 819 | 31.5 | (26.6 - 36.8) | 402 | 20.8 | (16.4 - 26.1) | 416 |
| All other races | - | - | 21 | - | - | 11 | - | - | 9 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 71 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN88: Percentage of students who completely quit using all tobacco products during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 12.4 | (10.3 - 14.7) | 935 | 12.7 | (10.3 - 15.6) | 479 | 11.8 | (8.9 - 15.5) | 453 |
| 15 or younger | 13.1 | (9.9 - 17.2) | 418 | 14.0 | (10.2 - 18.8) | 213 | 12.3 | (7.8 - 18.9) | 203 |
| 16 or 17 | 11.4 | (8.8 - 14.6) | 448 | 12.9 | (9.5 - 17.2) | 227 | 9.7 | (6.4 - 14.4) | 221 |
| 18 or older | - | - | 67 | - | - | 38 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 13.0 | (9.2 - 18.1) | 275 | 15.4 | (10.7 - 21.7) | 141 | 10.4 | (5.9 - 17.9) | 133 |
| 10th | 12.7 | (9.1 - 17.4) | 221 | 11.5 | (7.3 - 17.6) | 123 | - | - | 98 |
| 11th | 7.7 | (4.3 - 13.4) | 253 | 8.3 | (4.3 - 15.6) | 115 | 7.1 | (3.0 - 15.9) | 138 |
| 12th | 14.7 | (11.2 - 19.0) | 170 | - | - | 92 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 42 | - | - | 24 | - | - | 18 |
| White* | 11.0 | (8.8 - 13.6) | 800 | 10.7 | (8.4 - 13.7) | 391 | 11.2 | (8.1 - 15.3) | 408 |
| All other races | - | - | 22 | - | - | 14 | - | - | 8 |
| Multiple races | - | - | 27 | - | - | 19 | - | - | 7 |

Note: 92 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN89: Percentage of students who used some flavored tobacco product during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 24.8 | (20.5 - 29.7) | 914 | 35.8 | (30.4 - 41.6) | 461 | 12.9 | (9.4 - 17.5) | 449 |
| 15 or younger | 20.2 | (15.8 - 25.4) | 410 | 30.6 | (23.7 - 38.5) | 206 | 8.5 | (5.5 - 13.0) | 200 |
| 16 or 17 | 26.3 | (20.6 - 32.9) | 438 | 39.5 | (32.4 - 47.2) | 218 | 12.6 | (8.1 - 18.9) | 220 |
| 18 or older | - | - | 65 | - | - | 36 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 19.6 | (14.9 - 25.3) | 267 | 28.2 | (20.8 - 37.0) | 135 | 9.6 | (6.1 - 14.7) | 130 |
| 10th | 23.0 | (16.6 - 30.9) | 215 | 36.2 | (27.4 - 46.0) | 116 | - | - | 99 |
| 11th | 23.0 | (16.2 - 31.6) | 251 | 38.7 | (29.0 - 49.4) | 115 | 8.7 | (4.8 - 15.2) | 136 |
| 12th | 32.5 | (24.1 - 42.3) | 168 | - | - | 89 | - | - | 79 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 15 | - | - | 9 | - | - | 6 |
| Hispanic/Latino | - | - | 39 | - | - | 23 | - | - | 15 |
| White* | 22.4 | (18.5 - 26.9) | 787 | 35.4 | (29.8 - 41.5) | 381 | 9.9 | (7.1 - 13.6) | 405 |
| All other races | - | - | 22 | - | - | 11 | - | - | 10 |
| Multiple races | - | - | 25 | - | - | 17 | - | - | 7 |

Note: 113 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN90: Percentage of students who used only flavored cigars, cigarillos, little cigars, or only flavored smokeless tobacco products, or both flavored cigar products and flavored smokeless tobacco products during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.3 | (20.9 - 30.3) | 910 | 36.9 | (31.2 - 42.9) | 457 | 12.9 | (9.4 - 17.5) | 449 |
| Age | | | | | | | | | |
| 15 or younger | 19.6 | (15.1 - 25.0) | 405 | 30.2 | (23.1 - 38.4) | 203 | 7.7 | (5.0 - 11.8) | 198 |
| 16 or 17 | 27.0 | (21.3 - 33.6) | 437 | 40.7 | (33.5 - 48.4) | 215 | 13.1 | (8.6 - 19.5) | 222 |
| 18 or older | - | - | 67 | - | - | 38 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 19.7 | (14.9 - 25.6) | 266 | 28.7 | (21.1 - 37.7) | 136 | 8.9 | (5.6 - 13.9) | 128 |
| 10th | 22.8 | (16.1 - 31.3) | 213 | 35.5 | (26.3 - 45.8) | 113 | 9.2 | (4.3 - 18.6) | 100 |
| 11th | 23.4 | (16.4 - 32.2) | 249 | 39.7 | (29.6 - 50.7) | 113 | 8.7 | (4.8 - 15.2) | 136 |
| 12th | 33.5 | (24.6 - 43.7) | 169 | - | - | 89 | - | - | 80 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 10 | - | - | 6 |
| Hispanic/Latino | - | - | 38 | - | - | 22 | - | - | 15 |
| White* | 23.1 | (19.1 - 27.7) | 787 | 36.3 | (30.5 - 42.6) | 380 | 10.5 | (7.6 - 14.4) | 406 |
| All other races | - | - | 20 | - | - | 10 | - | - | 9 |
| Multiple races | - | - | 25 | - | - | 17 | - | - | 7 |

Note: 117 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN91: Percentage of students who have smoked a 100 or more cigarettes (5 or more packs) during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 12.3 | (9.9 - 15.3) | 997 | 15.5 | (12.2 - 19.5) | 510 | 8.8 | (5.9 - 12.8) | 481 |
| 15 or younger | 8.5 | (6.0 - 11.8) | 444 | 11.6 | (7.5 - 17.6) | 227 | 4.8 | (2.3 - 10.1) | 212 |
| 16 or 17 | 12.8 | (9.8 - 16.5) | 477 | 15.8 | (11.3 - 21.6) | 240 | 9.6 | (5.9 - 15.2) | 237 |
| 18 or older | - | - | 74 | - | - | 42 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (5.0 - 11.8) | 288 | 11.4 | (6.9 - 18.4) | 150 | 3.7 | (1.1 - 12.1) | 136 |
| 10th | 12.5 | (8.4 - 18.2) | 234 | 18.0 | (12.1 - 25.9) | 131 | 6.0 | (2.7 - 12.6) | 102 |
| 11th | 10.0 | (6.5 - 15.0) | 270 | 14.0 | (8.4 - 22.5) | 122 | 6.4 | (2.7 - 14.2) | 148 |
| 12th | 17.4 | (12.7 - 23.4) | 187 | - | - | 99 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 54 | - | - | 28 | - | - | 25 |
| White* | 10.9 | (8.4 - 13.9) | 837 | 14.3 | (10.9 - 18.6) | 412 | 7.5 | (4.7 - 11.5) | 424 |
| All other races | - | - | 27 | - | - | 15 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 30 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN92: Among students who bought or tried to buy cigarettes in a store during past 30 days, the percentage who were asked to show proof of age

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 48.1 | (36.3 - 60.2) | 107 | - | - | 73 | - | - | 33 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 30 | - | - | 19 | - | - | 10 |
| 16 or 17 | - | - | 45 | - | - | 34 | - | - | 11 |
| 18 or older | - | - | 32 | - | - | 20 | - | - | 12 |
| Grade | | | | | | | | | |
| 9th | - | - | 15 | - | - | 10 | - | - | 5 |
| 10th | - | - | 21 | - | - | 16 | - | - | 5 |
| 11th | - | - | 27 | - | - | 18 | - | - | 9 |
| 12th | - | - | 37 | - | - | 26 | - | - | 11 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 4 | - | - | 3 | - | - | 1 |
| Hispanic/Latino | - | - | 19 | - | - | 5 | - | - | 13 |
| White* | - | - | 63 | - | - | 47 | - | - | 16 |
| All other races | - | - | 7 | - | - | 6 | - | - | 1 |
| Multiple races | - | - | 10 | - | - | 8 | - | - | 2 |

Note: 920 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN93: Percentage of students who had someone refuse to sell them cigarettes because of their age during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 3.6 | (2.3 - 5.4) | 980 | 5.2 | (3.4 - 8.1) | 501 | 1.7 | (0.8 - 3.9) | 475 |
| 15 or younger | 3.1 | (1.8 - 5.4) | 434 | 4.8 | (2.4 - 9.3) | 217 | 1.4 | (0.5 - 4.1) | 213 |
| 16 or 17 | 4.1 | (2.3 - 7.0) | 471 | 6.7 | (4.0 - 11.1) | 239 | 1.2 | (0.4 - 3.8) | 232 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 1.9 | (0.8 - 4.6) | 283 | 3.1 | (1.2 - 8.1) | 142 | 0.7 | (0.1 - 4.8) | 139 |
| 10th | 3.7 | (1.8 - 7.2) | 235 | 5.1 | (2.6 - 9.8) | 131 | 2.0 | (0.5 - 7.8) | 103 |
| 11th | 4.4 | (1.8 - 10.2) | 263 | 6.9 | (2.6 - 17.1) | 121 | 2.1 | (0.5 - 8.8) | 142 |
| 12th | 3.7 | (1.8 - 7.2) | 185 | - | - | 99 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 48 | - | - | 25 | - | - | 23 |
| White* | 2.4 | (1.5 - 3.9) | 835 | 4.2 | (2.6 - 6.9) | 411 | 0.7 | (0.2 - 2.8) | 423 |
| All other races | - | - | 23 | - | - | 13 | - | - | 9 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 47 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN94: Percentage of students who usually smoked menthol cigarettes during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 10.5 | (8.5 - 12.9) | 967 | 11.2 | (8.8 - 14.0) | 491 | 9.3 | (6.5 - 13.1) | 470 |
| 15 or younger | 8.7 | (6.1 - 12.4) | 433 | 9.5 | (5.9 - 14.9) | 218 | 6.9 | (3.6 - 12.8) | 210 |
| 16 or 17 | 10.1 | (7.4 - 13.8) | 463 | 10.5 | (7.2 - 15.2) | 233 | 9.7 | (6.2 - 14.8) | 230 |
| 18 or older | - | - | 69 | - | - | 39 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 7.4 | (4.3 - 12.2) | 280 | 7.6 | (4.4 - 12.9) | 144 | 6.1 | (2.2 - 15.7) | 134 |
| 10th | 9.3 | (6.3 - 13.5) | 230 | 9.2 | (5.4 - 15.4) | 128 | 8.2 | (4.0 - 16.1) | 101 |
| 11th | 11.3 | (7.5 - 16.7) | 261 | 13.8 | (8.7 - 21.2) | 119 | 9.1 | (4.9 - 16.1) | 142 |
| 12th | 12.5 | (9.1 - 17.0) | 180 | - | - | 94 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 46 | - | - | 25 | - | - | 20 |
| White* | 8.3 | (6.5 - 10.6) | 825 | 9.0 | (6.6 - 12.2) | 402 | 7.6 | (5.2 - 11.0) | 422 |
| All other races | - | - | 23 | - | - | 14 | - | - | 8 |
| Multiple races | - | - | 27 | - | - | 19 | - | - | 7 |

Note: 60 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN95: Percentage of students who usually smoked cigarillos or small cigars, blunts, little cigars that look like brown cigarettes, or some other type of cigar during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 14.7 | (11.9 - 18.0) | 981 | 20.3 | (16.4 - 24.9) | 499 | 8.1 | (5.7 - 11.5) | 476 |
| 15 or younger | 11.6 | (8.5 - 15.5) | 440 | 17.3 | (12.4 - 23.6) | 222 | 4.5 | (2.5 - 8.0) | 213 |
| 16 or 17 | 14.4 | (11.3 - 18.2) | 467 | 19.8 | (15.7 - 24.6) | 236 | 8.6 | (5.3 - 13.7) | 231 |
| 18 or older | - | - | 72 | - | - | 40 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 10.3 | (7.2 - 14.7) | 287 | 13.4 | (9.2 - 19.0) | 145 | 6.2 | (3.4 - 11.1) | 140 |
| 10th | 11.7 | (8.2 - 16.4) | 231 | 17.7 | (13.4 - 22.9) | 129 | 3.3 | (1.0 - 10.4) | 101 |
| 11th | 13.8 | (9.6 - 19.4) | 262 | 22.7 | (16.8 - 30.0) | 120 | 5.5 | (2.3 - 12.6) | 142 |
| 12th | 22.2 | (16.4 - 29.4) | 184 | - | - | 98 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 14 | - | - | 8 | - | - | 6 |
| Hispanic/Latino | - | - | 50 | - | - | 27 | - | - | 22 |
| White* | 11.1 | (8.7 - 14.0) | 831 | 16.6 | (12.8 - 21.3) | 406 | 5.7 | (3.7 - 8.6) | 424 |
| All other races | - | - | 25 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 20 | - | - | 7 |

Note: 46 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Garrett County, MD High School Survey
Summary Tables - Weighted Data**

QN96: Percentage of students who live with someone who now smokes cigarettes or cigars

| | Total | | | Male | | | Female | | |
|-----------------------|--------------|-------------------------|-----|-------------|-------------------------|-----|---------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 38.6 | (34.5 - 42.8) | 994 | 37.4 | (32.7 - 42.4) | 509 | 39.5 | (34.0 - 45.3) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 39.6 | (34.2 - 45.4) | 439 | 38.3 | (32.2 - 44.7) | 221 | 40.2 | (32.2 - 48.6) | 214 |
| 16 or 17 | 37.5 | (32.0 - 43.3) | 479 | 38.0 | (31.0 - 45.5) | 243 | 36.9 | (30.7 - 43.7) | 236 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 42.5 | (36.9 - 48.2) | 284 | 43.3 | (36.6 - 50.2) | 142 | 41.3 | (32.6 - 50.6) | 140 |
| 10th | 38.5 | (30.0 - 47.8) | 237 | 34.5 | (26.3 - 43.6) | 134 | 42.8 | (31.5 - 55.0) | 102 |
| 11th | 38.8 | (30.4 - 48.0) | 269 | 40.1 | (29.9 - 51.3) | 123 | 37.6 | (27.4 - 49.0) | 146 |
| 12th | 32.0 | (25.9 - 38.9) | 187 | 29.1 | (22.3 - 37.1) | 102 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 11 | - | - | 5 |
| Hispanic/Latino | - | - | 53 | - | - | 28 | - | - | 25 |
| White* | 36.6 | (32.3 - 41.1) | 841 | 35.5 | (30.9 - 40.4) | 415 | 37.8 | (32.1 - 43.8) | 425 |
| All other races | - | - | 26 | - | - | 14 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN97: Percentage of students who describe the rule about smoking inside the home where they live is that it is never allowed inside their home

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 74.3 | (70.3 - 78.0) | 1,002 | 75.1 | (70.9 - 78.8) | 512 | 73.9 | (68.6 - 78.6) | 484 |
| 15 or younger | 75.4 | (70.3 - 79.9) | 446 | 74.8 | (68.9 - 79.9) | 224 | 77.2 | (70.4 - 82.8) | 217 |
| 16 or 17 | 73.9 | (68.6 - 78.6) | 478 | 74.4 | (67.8 - 80.0) | 243 | 73.4 | (66.6 - 79.2) | 235 |
| 18 or older | - | - | 76 | - | - | 44 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 74.8 | (67.9 - 80.6) | 292 | 75.0 | (67.9 - 81.0) | 148 | 75.1 | (65.4 - 82.8) | 142 |
| 10th | 74.2 | (64.2 - 82.2) | 235 | 73.9 | (62.6 - 82.7) | 131 | 75.5 | (63.6 - 84.5) | 103 |
| 11th | 73.7 | (65.6 - 80.4) | 268 | 72.7 | (63.5 - 80.3) | 122 | 74.6 | (64.9 - 82.3) | 146 |
| 12th | 78.3 | (71.1 - 84.1) | 188 | 81.8 | (74.7 - 87.2) | 102 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 27 |
| White* | 77.1 | (73.2 - 80.6) | 839 | 77.4 | (72.7 - 81.6) | 413 | 76.8 | (71.8 - 81.1) | 425 |
| All other races | - | - | 26 | - | - | 14 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 25 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN98: Percentage of students who were in the same room with someone who was smoking cigarettes on one or more of the past 7 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 45.0 | (40.9 - 49.3) | 1,019 | 45.0 | (39.8 - 50.2) | 525 | 44.6 | (39.4 - 49.8) | 488 |
| 15 or younger | 43.3 | (38.3 - 48.5) | 454 | 40.6 | (34.7 - 46.9) | 231 | 45.1 | (38.3 - 52.2) | 218 |
| 16 or 17 | 46.5 | (40.3 - 52.8) | 484 | 49.3 | (41.8 - 56.8) | 247 | 43.4 | (36.2 - 51.0) | 237 |
| 18 or older | - | - | 79 | - | - | 46 | - | - | 33 |
| Grade | | | | | | | | | |
| 9th | 40.5 | (34.4 - 46.9) | 293 | 37.4 | (31.1 - 44.1) | 149 | 43.5 | (35.3 - 52.1) | 142 |
| 10th | 48.2 | (40.0 - 56.4) | 240 | 48.0 | (38.8 - 57.3) | 136 | 47.8 | (37.9 - 57.9) | 103 |
| 11th | 43.5 | (35.8 - 51.6) | 272 | 44.8 | (33.9 - 56.3) | 125 | 42.3 | (33.0 - 52.3) | 147 |
| 12th | 45.9 | (37.3 - 54.8) | 195 | 45.9 | (36.2 - 55.9) | 106 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 60 | - | - | 31 | - | - | 28 |
| White* | 42.8 | (38.3 - 47.4) | 848 | 43.0 | (37.2 - 48.9) | 419 | 42.7 | (37.3 - 48.2) | 428 |
| All other races | - | - | 29 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 8 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN99: Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 36.1 | (30.4 - 42.3) | 398 | 37.9 | (29.9 - 46.7) | 224 | 34.4 | (27.1 - 42.6) | 171 |
| Age | | | | | | | | | |
| 15 or younger | 30.4 | (24.0 - 37.8) | 164 | - | - | 89 | - | - | 73 |
| 16 or 17 | 38.6 | (30.6 - 47.2) | 197 | 39.5 | (29.9 - 49.9) | 112 | - | - | 85 |
| 18 or older | - | - | 35 | - | - | 22 | - | - | 13 |
| Grade | | | | | | | | | |
| 9th | - | - | 91 | - | - | 44 | - | - | 46 |
| 10th | 25.4 | (18.2 - 34.4) | 106 | - | - | 69 | - | - | 36 |
| 11th | 45.5 | (36.2 - 55.1) | 103 | - | - | 53 | - | - | 50 |
| 12th | - | - | 90 | - | - | 53 | - | - | 37 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 10 | - | - | 7 | - | - | 3 |
| Hispanic/Latino | - | - | 26 | - | - | 11 | - | - | 15 |
| White* | 35.5 | (29.8 - 41.7) | 321 | 36.6 | (29.5 - 44.3) | 178 | 34.2 | (26.1 - 43.3) | 143 |
| All other races | - | - | 12 | - | - | 6 | - | - | 5 |
| Multiple races | - | - | 14 | - | - | 11 | - | - | 3 |

Note: 629 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN100: Percentage of students who took a prescription drug without a doctor's prescription one or more times during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 13.7 | (11.3 - 16.5) | 1,016 | 17.5 | (14.2 - 21.4) | 526 | 8.9 | (6.7 - 11.7) | 484 |
| 15 or younger | 10.4 | (8.2 - 13.1) | 452 | 12.5 | (8.8 - 17.5) | 231 | 7.2 | (4.5 - 11.3) | 216 |
| 16 or 17 | 13.9 | (10.9 - 17.6) | 486 | 19.5 | (14.7 - 25.3) | 249 | 7.8 | (5.0 - 12.1) | 237 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 9.2 | (6.6 - 12.6) | 291 | 9.9 | (6.3 - 15.4) | 148 | 7.5 | (4.2 - 12.9) | 141 |
| 10th | 12.9 | (8.8 - 18.5) | 241 | 17.9 | (11.6 - 26.6) | 137 | 6.7 | (3.3 - 13.2) | 103 |
| 11th | 13.9 | (10.0 - 18.9) | 274 | 20.8 | (14.8 - 28.4) | 127 | 7.3 | (3.7 - 13.8) | 147 |
| 12th | 16.8 | (11.4 - 23.9) | 192 | 19.8 | (13.9 - 27.5) | 105 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 31 | - | - | 26 |
| White* | 9.4 | (7.4 - 12.0) | 848 | 13.7 | (10.4 - 18.0) | 420 | 5.1 | (3.4 - 7.6) | 427 |
| All other races | - | - | 28 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 28 | - | - | 19 | - | - | 8 |

Note: 11 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN101: Percentage of students who describe themselves as gay or lesbian or bisexual

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 7.4 | (5.8 - 9.3) | 1,006 | 6.6 | (4.7 - 9.0) | 520 | 8.2 | (5.9 - 11.1) | 482 |
| 15 or younger | 7.4 | (5.4 - 10.1) | 447 | 6.7 | (4.3 - 10.3) | 230 | 8.2 | (5.2 - 12.7) | 214 |
| 16 or 17 | 6.3 | (4.2 - 9.3) | 480 | 5.6 | (3.1 - 9.9) | 243 | 7.0 | (4.1 - 11.8) | 237 |
| 18 or older | - | - | 77 | - | - | 46 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (5.4 - 10.9) | 289 | 6.4 | (3.7 - 10.9) | 149 | 9.2 | (5.5 - 15.1) | 139 |
| 10th | 8.6 | (5.8 - 12.7) | 238 | 8.9 | (5.2 - 14.7) | 134 | 8.4 | (4.6 - 14.6) | 103 |
| 11th | 4.2 | (2.2 - 7.6) | 271 | 3.6 | (1.3 - 9.7) | 125 | 4.7 | (2.5 - 8.7) | 146 |
| 12th | 9.6 | (5.8 - 15.6) | 190 | 8.0 | (3.9 - 15.7) | 103 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 27 |
| White* | 5.8 | (4.5 - 7.5) | 844 | 4.5 | (3.0 - 6.8) | 418 | 7.1 | (5.0 - 9.9) | 425 |
| All other races | - | - | 28 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 29 | - | - | 20 | - | - | 8 |

Note: 21 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN102: Percentage of students who spend more than 20 minutes actually exercising or playing sports during an average physical education (PE) class

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 30.8 | (25.5 - 36.7) | 1,010 | 36.5 | (29.6 - 43.9) | 522 | 24.2 | (18.5 - 30.9) | 482 |
| 15 or younger | 44.7 | (37.3 - 52.3) | 448 | 48.9 | (40.0 - 57.9) | 228 | 39.7 | (31.4 - 48.6) | 215 |
| 16 or 17 | 22.0 | (17.5 - 27.2) | 483 | 29.3 | (21.8 - 38.2) | 248 | 13.8 | (9.7 - 19.3) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 55.3 | (47.8 - 62.6) | 289 | 61.9 | (52.3 - 70.5) | 146 | 48.2 | (38.8 - 57.8) | 141 |
| 10th | 27.4 | (21.9 - 33.7) | 238 | 31.2 | (24.0 - 39.5) | 137 | 22.8 | (16.0 - 31.5) | 100 |
| 11th | 21.2 | (16.3 - 27.2) | 272 | 27.9 | (18.9 - 39.1) | 127 | 14.9 | (9.5 - 22.6) | 145 |
| 12th | 17.9 | (12.1 - 25.7) | 192 | 25.5 | (15.4 - 39.1) | 103 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 29 | - | - | 28 |
| White* | 30.7 | (25.0 - 37.1) | 844 | 38.4 | (31.2 - 46.0) | 421 | 23.0 | (17.0 - 30.3) | 422 |
| All other races | - | - | 28 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 17 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN103: Percentage of students who described their health in general as excellent or very good

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 49.8 | (46.5 - 53.2) | 1,003 | 56.8 | (52.1 - 61.3) | 517 | 41.7 | (36.8 - 46.7) | 481 |
| Age | | | | | | | | | |
| 15 or younger | 48.3 | (43.8 - 52.9) | 446 | 54.1 | (49.4 - 58.6) | 227 | 41.2 | (34.4 - 48.3) | 215 |
| 16 or 17 | 49.7 | (44.9 - 54.5) | 479 | 57.4 | (50.4 - 64.1) | 244 | 41.3 | (34.3 - 48.6) | 235 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 50.1 | (44.1 - 56.2) | 290 | 54.0 | (48.4 - 59.5) | 149 | 45.6 | (36.3 - 55.2) | 140 |
| 10th | 48.8 | (42.2 - 55.5) | 236 | 63.2 | (56.2 - 69.7) | 134 | 30.1 | (22.0 - 39.6) | 101 |
| 11th | 48.0 | (41.4 - 54.8) | 269 | 52.2 | (43.2 - 61.1) | 125 | 44.1 | (32.4 - 56.5) | 144 |
| 12th | 52.8 | (45.1 - 60.4) | 190 | 58.9 | (48.3 - 68.6) | 101 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 27 |
| White* | 49.1 | (45.3 - 52.8) | 843 | 57.4 | (52.0 - 62.6) | 419 | 40.4 | (35.4 - 45.7) | 423 |
| All other races | - | - | 26 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 24 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN104: Percentage of students who have had asthma symptoms during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.7 | (15.1 - 20.5) | 986 | 16.6 | (13.1 - 20.9) | 509 | 18.6 | (15.0 - 22.8) | 472 |
| 15 or younger | 17.3 | (14.2 - 20.9) | 435 | 15.2 | (11.1 - 20.5) | 220 | 18.8 | (14.3 - 24.2) | 211 |
| 16 or 17 | 16.5 | (12.7 - 21.3) | 477 | 15.5 | (10.2 - 22.7) | 246 | 17.7 | (12.3 - 24.7) | 231 |
| 18 or older | - | - | 72 | - | - | 42 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 15.9 | (12.1 - 20.6) | 286 | 15.4 | (10.6 - 21.8) | 146 | 16.6 | (10.9 - 24.5) | 139 |
| 10th | 20.0 | (16.0 - 24.9) | 233 | 10.7 | (6.9 - 16.2) | 132 | 30.8 | (24.3 - 38.1) | 100 |
| 11th | 12.2 | (8.8 - 16.7) | 264 | 13.0 | (8.2 - 19.9) | 123 | 11.5 | (6.5 - 19.6) | 141 |
| 12th | 21.1 | (14.0 - 30.5) | 184 | - | - | 99 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 16 | - | - | 11 | - | - | 5 |
| Hispanic/Latino | - | - | 54 | - | - | 28 | - | - | 25 |
| White* | 15.7 | (13.1 - 18.6) | 838 | 14.1 | (10.8 - 18.1) | 419 | 17.3 | (13.8 - 21.5) | 418 |
| All other races | - | - | 25 | - | - | 15 | - | - | 10 |
| Multiple races | - | - | 26 | - | - | 17 | - | - | 8 |

Note: 41 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN105: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 17.7 | (14.9 - 20.9) | 999 | 13.9 | (10.6 - 18.1) | 516 | 21.6 | (17.2 - 26.8) | 479 |
| 15 or younger | 11.1 | (8.5 - 14.5) | 441 | 11.0 | (6.9 - 17.1) | 224 | 10.8 | (7.5 - 15.4) | 214 |
| 16 or 17 | 20.7 | (17.6 - 24.3) | 481 | 13.7 | (9.7 - 19.0) | 248 | 28.5 | (22.1 - 36.0) | 233 |
| 18 or older | - | - | 75 | - | - | 43 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 10.8 | (7.1 - 16.2) | 287 | 10.6 | (5.5 - 19.5) | 146 | 11.1 | (6.7 - 17.9) | 140 |
| 10th | 11.6 | (7.6 - 17.4) | 237 | 9.0 | (4.7 - 16.4) | 135 | 13.9 | (6.9 - 25.9) | 101 |
| 11th | 20.4 | (15.9 - 25.9) | 270 | 15.1 | (10.1 - 21.8) | 127 | 25.6 | (17.9 - 35.3) | 143 |
| 12th | 24.8 | (18.6 - 32.2) | 188 | 19.1 | (11.7 - 29.6) | 100 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 57 | - | - | 30 | - | - | 27 |
| White* | 14.4 | (11.6 - 17.6) | 841 | 9.5 | (6.7 - 13.3) | 418 | 19.3 | (14.7 - 24.9) | 422 |
| All other races | - | - | 27 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 28 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN106: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 25.4 | (21.0 - 30.4) | 986 | 32.0 | (26.4 - 38.2) | 510 | 17.7 | (13.7 - 22.5) | 471 |
| Age | | | | | | | | | |
| 15 or younger | 21.8 | (17.8 - 26.4) | 432 | 28.3 | (21.9 - 35.7) | 219 | 14.4 | (10.5 - 19.4) | 209 |
| 16 or 17 | 24.8 | (19.6 - 30.8) | 480 | 31.2 | (24.6 - 38.5) | 249 | 17.7 | (12.6 - 24.1) | 231 |
| 18 or older | - | - | 72 | - | - | 41 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 21.6 | (17.3 - 26.7) | 279 | 28.5 | (21.1 - 37.2) | 141 | 13.8 | (9.8 - 19.0) | 137 |
| 10th | 22.9 | (16.2 - 31.4) | 236 | 27.5 | (18.2 - 39.2) | 135 | 17.4 | (11.0 - 26.4) | 100 |
| 11th | 23.2 | (17.2 - 30.6) | 266 | 32.9 | (25.8 - 41.0) | 124 | 13.9 | (8.4 - 22.3) | 142 |
| 12th | 31.3 | (20.4 - 44.8) | 186 | 37.7 | (23.8 - 53.9) | 101 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 30 | - | - | 26 |
| White* | 22.0 | (18.0 - 26.7) | 831 | 28.7 | (23.1 - 35.1) | 414 | 15.1 | (11.5 - 19.5) | 416 |
| All other races | - | - | 25 | - | - | 15 | - | - | 10 |
| Multiple races | - | - | 26 | - | - | 17 | - | - | 8 |

Note: 41 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN107: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 18.7 | (15.2 - 22.7) | 999 | 23.6 | (19.2 - 28.6) | 518 | 13.1 | (9.7 - 17.5) | 476 |
| Age | | | | | | | | | |
| 15 or younger | 18.3 | (15.1 - 22.0) | 440 | 22.6 | (17.6 - 28.4) | 225 | 13.5 | (9.9 - 18.3) | 211 |
| 16 or 17 | 16.8 | (12.7 - 21.9) | 481 | 21.4 | (16.4 - 27.5) | 248 | 11.6 | (7.0 - 18.8) | 233 |
| 18 or older | - | - | 76 | - | - | 44 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 18.7 | (15.4 - 22.6) | 287 | 24.0 | (18.5 - 30.4) | 147 | 12.5 | (8.9 - 17.1) | 139 |
| 10th | 15.3 | (10.3 - 22.1) | 237 | 16.8 | (10.5 - 25.8) | 135 | 13.5 | (7.5 - 23.1) | 101 |
| 11th | 19.5 | (12.9 - 28.5) | 267 | 28.1 | (19.5 - 38.7) | 124 | 11.3 | (5.6 - 21.6) | 143 |
| 12th | 20.0 | (12.2 - 30.9) | 190 | 25.4 | (15.4 - 38.9) | 104 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 11 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 29 | - | - | 27 |
| White* | 15.6 | (12.3 - 19.5) | 840 | 20.7 | (15.9 - 26.4) | 419 | 10.2 | (7.0 - 14.5) | 420 |
| All other races | - | - | 27 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 26 | - | - | 18 | - | - | 7 |

Note: 28 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN108: Percentage of students who say definitely yes or probably yes that smokers have shorter lives than non-smokers

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 86.1 | (83.3 - 88.6) | 995 | 84.7 | (81.0 - 87.8) | 516 | 87.6 | (83.8 - 90.6) | 475 |
| 15 or younger | 86.2 | (81.9 - 89.6) | 440 | 84.3 | (78.6 - 88.8) | 226 | 88.0 | (82.7 - 91.8) | 211 |
| 16 or 17 | 88.2 | (84.9 - 90.8) | 478 | 86.8 | (82.7 - 90.0) | 246 | 89.7 | (84.3 - 93.4) | 232 |
| 18 or older | - | - | 75 | - | - | 43 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 87.0 | (81.5 - 91.0) | 287 | 87.2 | (81.5 - 91.3) | 147 | 86.7 | (78.9 - 91.9) | 139 |
| 10th | 85.4 | (79.5 - 89.8) | 236 | 80.9 | (70.9 - 88.0) | 135 | 91.0 | (84.3 - 95.0) | 100 |
| 11th | 88.6 | (83.0 - 92.6) | 268 | 90.3 | (83.0 - 94.6) | 126 | 87.0 | (79.3 - 92.2) | 142 |
| 12th | 85.1 | (78.4 - 90.0) | 187 | 80.9 | (72.1 - 87.4) | 100 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 27 |
| White* | 89.0 | (86.0 - 91.4) | 835 | 87.8 | (83.2 - 91.2) | 417 | 90.2 | (86.3 - 93.1) | 417 |
| All other races | - | - | 27 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 26 | - | - | 17 | - | - | 8 |

Note: 32 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN109: Percentage of students who were taught in any of their classes about the dangers of tobacco use during the last school year

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 62.9 | (58.3 - 67.3) | 983 | 62.9 | (57.8 - 67.7) | 508 | 62.8 | (56.6 - 68.6) | 471 |
| Age | | | | | | | | | |
| 15 or younger | 76.6 | (71.5 - 81.1) | 433 | 73.6 | (65.8 - 80.2) | 220 | 80.1 | (72.3 - 86.1) | 210 |
| 16 or 17 | 55.9 | (51.3 - 60.5) | 474 | 58.5 | (53.1 - 63.7) | 244 | 53.1 | (45.9 - 60.2) | 230 |
| 18 or older | - | - | 74 | - | - | 43 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 84.0 | (79.5 - 87.6) | 280 | 80.6 | (73.0 - 86.5) | 142 | 87.5 | (78.8 - 92.9) | 137 |
| 10th | 69.6 | (62.1 - 76.2) | 233 | 69.8 | (60.4 - 77.8) | 133 | - | - | 99 |
| 11th | 57.3 | (50.9 - 63.5) | 265 | 60.4 | (51.7 - 68.5) | 123 | 54.4 | (44.5 - 64.0) | 142 |
| 12th | 42.7 | (36.3 - 49.3) | 187 | 43.1 | (32.5 - 54.5) | 101 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 55 | - | - | 29 | - | - | 26 |
| White* | 63.8 | (58.6 - 68.7) | 830 | 64.0 | (58.1 - 69.6) | 413 | 63.4 | (56.6 - 69.8) | 416 |
| All other races | - | - | 24 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 25 | - | - | 17 | - | - | 7 |

Note: 44 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN110: Percentage of students who responded that their parents would feel it would be wrong or very wrong for them to drink beer, wine, or hard liquor (such as vodka, whiskey, or gin) at least once or twice a month

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 60.0 | (55.7 - 64.2) | 1,002 | 58.7 | (52.5 - 64.6) | 518 | 61.6 | (56.0 - 66.9) | 480 |
| Age | | | | | | | | | |
| 15 or younger | 64.2 | (58.8 - 69.3) | 443 | 59.7 | (51.6 - 67.2) | 226 | 69.6 | (61.8 - 76.4) | 214 |
| 16 or 17 | 59.2 | (53.6 - 64.6) | 481 | 60.7 | (52.8 - 68.2) | 246 | 57.5 | (50.1 - 64.7) | 235 |
| 18 or older | - | - | 76 | - | - | 45 | - | - | 31 |
| Grade | | | | | | | | | |
| 9th | 66.4 | (60.5 - 71.9) | 287 | 61.4 | (52.0 - 70.0) | 147 | 71.8 | (63.2 - 79.0) | 139 |
| 10th | 57.2 | (49.2 - 64.9) | 236 | 54.6 | (43.9 - 64.9) | 134 | 61.2 | (50.9 - 70.6) | 101 |
| 11th | 62.0 | (55.5 - 68.2) | 270 | 59.8 | (50.2 - 68.7) | 126 | 64.2 | (55.2 - 72.3) | 144 |
| 12th | 54.4 | (44.1 - 64.3) | 192 | 58.6 | (44.8 - 71.1) | 103 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 28 | - | - | 28 |
| White* | 61.3 | (56.7 - 65.7) | 843 | 59.4 | (52.8 - 65.7) | 421 | 63.2 | (57.6 - 68.4) | 421 |
| All other races | - | - | 27 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 25 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN111: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol (beer, wine, or liquor) nearly every day

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 51.5 | (47.4 - 55.6) | 994 | 43.5 | (39.0 - 48.1) | 511 | 60.5 | (55.0 - 65.7) | 478 |
| Age | | | | | | | | | |
| 15 or younger | 52.3 | (46.6 - 57.9) | 442 | 41.0 | (34.3 - 48.0) | 224 | 64.2 | (56.2 - 71.5) | 214 |
| 16 or 17 | 49.4 | (43.1 - 55.7) | 478 | 43.6 | (37.1 - 50.3) | 243 | 55.7 | (47.4 - 63.6) | 235 |
| 18 or older | - | - | 72 | - | - | 43 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 51.3 | (43.7 - 58.9) | 286 | 42.2 | (33.5 - 51.4) | 145 | 61.6 | (51.9 - 70.4) | 140 |
| 10th | 52.2 | (44.6 - 59.7) | 235 | 39.9 | (31.6 - 48.8) | 134 | 67.4 | (55.1 - 77.7) | 100 |
| 11th | 48.0 | (39.4 - 56.7) | 268 | 40.4 | (30.8 - 50.7) | 124 | 55.2 | (44.3 - 65.6) | 144 |
| 12th | 55.7 | (48.5 - 62.7) | 188 | 50.5 | (42.3 - 58.6) | 100 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 56 | - | - | 28 | - | - | 27 |
| White* | 52.4 | (47.7 - 57.0) | 837 | 41.8 | (36.8 - 47.1) | 415 | 63.2 | (57.4 - 68.6) | 421 |
| All other races | - | - | 26 | - | - | 17 | - | - | 9 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 33 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN112: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 63.7 | (58.6 - 68.5) | 995 | 56.6 | (51.0 - 62.1) | 513 | 71.6 | (66.0 - 76.6) | 477 |
| Age | | | | | | | | | |
| 15 or younger | 66.8 | (61.0 - 72.1) | 443 | 59.2 | (52.3 - 65.7) | 224 | 74.7 | (67.3 - 80.8) | 215 |
| 16 or 17 | 62.1 | (54.8 - 69.0) | 479 | 56.3 | (48.2 - 64.1) | 246 | 68.6 | (60.2 - 76.0) | 233 |
| 18 or older | - | - | 71 | - | - | 42 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 70.2 | (63.6 - 76.0) | 286 | 63.1 | (55.8 - 69.7) | 145 | 77.7 | (68.8 - 84.6) | 140 |
| 10th | 58.7 | (49.2 - 67.5) | 236 | 51.8 | (41.4 - 62.1) | 134 | 68.0 | (55.6 - 78.2) | 101 |
| 11th | 64.0 | (53.7 - 73.1) | 267 | 56.8 | (44.0 - 68.8) | 125 | 70.8 | (60.0 - 79.7) | 142 |
| 12th | 63.8 | (54.8 - 71.9) | 187 | 56.5 | (45.8 - 66.6) | 100 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 57 | - | - | 28 | - | - | 28 |
| White* | 65.8 | (60.6 - 70.6) | 839 | 56.4 | (50.4 - 62.2) | 418 | 75.3 | (69.7 - 80.2) | 420 |
| All other races | - | - | 26 | - | - | 17 | - | - | 9 |
| Multiple races | - | - | 25 | - | - | 17 | - | - | 7 |

Note: 32 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN113: Percentage of students who have an adult outside of school they can talk to about things that are important to them

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 83.5 | (80.6 - 86.1) | 977 | 82.7 | (79.3 - 85.7) | 499 | 84.3 | (80.1 - 87.7) | 476 |
| Age | | | | | | | | | |
| 15 or younger | 84.0 | (79.9 - 87.3) | 432 | 84.0 | (78.9 - 88.1) | 217 | 83.7 | (77.7 - 88.4) | 213 |
| 16 or 17 | 84.7 | (80.6 - 88.0) | 470 | 82.6 | (77.3 - 86.9) | 237 | 86.9 | (80.8 - 91.3) | 233 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 85.6 | (80.7 - 89.5) | 281 | 86.6 | (80.9 - 90.8) | 141 | 84.5 | (77.0 - 89.8) | 139 |
| 10th | 82.3 | (76.8 - 86.7) | 232 | 81.0 | (73.7 - 86.6) | 131 | 84.0 | (74.0 - 90.6) | 101 |
| 11th | 85.3 | (79.1 - 90.0) | 261 | 80.4 | (71.6 - 87.0) | 119 | 89.8 | (83.0 - 94.0) | 142 |
| 12th | 82.4 | (75.1 - 87.9) | 187 | 83.3 | (75.4 - 89.0) | 100 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 56 | - | - | 29 | - | - | 27 |
| White* | 85.3 | (82.3 - 87.8) | 828 | 85.2 | (81.6 - 88.2) | 406 | 85.4 | (80.9 - 89.0) | 421 |
| All other races | - | - | 24 | - | - | 14 | - | - | 10 |
| Multiple races | - | - | 26 | - | - | 18 | - | - | 7 |

Note: 50 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN114: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Age | | | | | | | | | |
| Total | 80.4 | (76.7 - 83.6) | 1,003 | 76.8 | (72.2 - 80.9) | 519 | 84.3 | (80.3 - 87.7) | 480 |
| 15 or younger | 80.8 | (77.0 - 84.2) | 443 | 80.2 | (75.3 - 84.4) | 227 | 81.6 | (76.5 - 85.9) | 213 |
| 16 or 17 | 81.3 | (75.4 - 86.0) | 481 | 75.4 | (67.7 - 81.8) | 246 | 87.7 | (81.3 - 92.1) | 235 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 81.2 | (76.1 - 85.4) | 284 | 79.3 | (73.3 - 84.3) | 145 | 83.8 | (77.8 - 88.5) | 138 |
| 10th | 78.9 | (73.1 - 83.7) | 236 | 76.8 | (70.3 - 82.2) | 135 | 81.5 | (72.7 - 88.0) | 101 |
| 11th | 80.3 | (73.8 - 85.5) | 271 | 73.8 | (64.1 - 81.7) | 126 | 86.5 | (80.7 - 90.7) | 145 |
| 12th | 82.6 | (73.1 - 89.3) | 193 | 78.4 | (66.2 - 87.0) | 104 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 60 | - | - | 31 | - | - | 28 |
| White* | 81.6 | (78.1 - 84.7) | 840 | 77.8 | (73.0 - 81.9) | 418 | 85.7 | (81.3 - 89.2) | 421 |
| All other races | - | - | 27 | - | - | 17 | - | - | 10 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 24 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey

Summary Tables - Weighted Data

QN115: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 29.3 | (26.0 - 32.8) | 967 | 25.3 | (20.7 - 30.5) | 495 | 33.3 | (28.2 - 38.8) | 468 |
| Age | | | | | | | | | |
| 15 or younger | 24.2 | (19.9 - 29.0) | 430 | 19.9 | (14.6 - 26.5) | 215 | 28.0 | (21.9 - 35.1) | 212 |
| 16 or 17 | 30.4 | (26.0 - 35.3) | 461 | 27.3 | (22.4 - 32.8) | 234 | 33.9 | (26.7 - 41.9) | 227 |
| 18 or older | - | - | 74 | - | - | 45 | - | - | 29 |
| Grade | | | | | | | | | |
| 9th | 26.6 | (21.2 - 32.8) | 276 | 23.0 | (16.1 - 31.8) | 138 | 29.8 | (22.0 - 39.1) | 137 |
| 10th | 18.8 | (14.1 - 24.8) | 231 | 14.3 | (9.8 - 20.2) | 128 | 24.5 | (16.1 - 35.4) | 102 |
| 11th | 33.9 | (28.2 - 40.1) | 256 | 28.7 | (22.3 - 36.2) | 118 | 38.8 | (29.6 - 48.8) | 138 |
| 12th | 35.1 | (27.9 - 43.0) | 186 | 32.6 | (22.8 - 44.1) | 102 | - | - | 84 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 50 | - | - | 26 | - | - | 24 |
| White* | 28.2 | (24.7 - 32.1) | 822 | 23.8 | (18.6 - 29.8) | 405 | 32.6 | (27.2 - 38.5) | 416 |
| All other races | - | - | 26 | - | - | 16 | - | - | 10 |
| Multiple races | - | - | 26 | - | - | 18 | - | - | 7 |

Note: 60 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN116: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 55.2 | (51.3 - 59.1) | 1,008 | 51.8 | (46.3 - 57.3) | 522 | 59.0 | (53.8 - 64.1) | 482 |
| Age | | | | | | | | | |
| 15 or younger | 51.2 | (46.6 - 55.8) | 449 | 48.5 | (41.2 - 55.8) | 230 | 53.9 | (46.3 - 61.3) | 216 |
| 16 or 17 | 58.0 | (52.5 - 63.3) | 480 | 53.2 | (45.7 - 60.5) | 246 | 63.4 | (56.2 - 70.0) | 234 |
| 18 or older | - | - | 77 | - | - | 45 | - | - | 32 |
| Grade | | | | | | | | | |
| 9th | 54.6 | (49.1 - 59.9) | 290 | 51.4 | (42.7 - 60.0) | 148 | 58.4 | (49.6 - 66.7) | 141 |
| 10th | 44.5 | (37.6 - 51.6) | 236 | 40.9 | (31.7 - 50.9) | 135 | 49.0 | (40.7 - 57.4) | 101 |
| 11th | 59.5 | (50.9 - 67.6) | 271 | 53.4 | (43.5 - 62.9) | 126 | 65.4 | (53.8 - 75.4) | 145 |
| 12th | 59.7 | (52.6 - 66.3) | 192 | 59.2 | (50.7 - 67.2) | 104 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 18 | - | - | 12 | - | - | 6 |
| Hispanic/Latino | - | - | 58 | - | - | 29 | - | - | 28 |
| White* | 54.7 | (50.7 - 58.7) | 844 | 51.5 | (45.8 - 57.2) | 421 | 58.2 | (52.6 - 63.5) | 422 |
| All other races | - | - | 28 | - | - | 17 | - | - | 11 |
| Multiple races | - | - | 27 | - | - | 18 | - | - | 8 |

Note: 19 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Garrett County, MD High School Survey Summary Tables - Weighted Data

QN117: Percentage of students who participate in any extracurricular activities at school such as sports, band, drama, clubs, or student government

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 63.3 | (58.9 - 67.4) | 986 | 61.7 | (56.3 - 66.8) | 508 | 65.2 | (59.8 - 70.3) | 475 |
| Age | | | | | | | | | |
| 15 or younger | 64.1 | (58.2 - 69.6) | 440 | 62.2 | (54.0 - 69.7) | 224 | 66.3 | (58.9 - 72.9) | 214 |
| 16 or 17 | 62.3 | (57.0 - 67.4) | 470 | 60.8 | (54.7 - 66.7) | 239 | 64.0 | (56.1 - 71.1) | 231 |
| 18 or older | - | - | 74 | - | - | 44 | - | - | 30 |
| Grade | | | | | | | | | |
| 9th | 63.8 | (56.6 - 70.4) | 285 | 61.9 | (51.6 - 71.2) | 145 | 66.2 | (56.3 - 74.9) | 139 |
| 10th | 61.4 | (51.8 - 70.2) | 233 | 56.2 | (45.5 - 66.3) | 131 | 67.8 | (55.7 - 77.9) | 102 |
| 11th | 61.6 | (52.8 - 69.8) | 261 | 59.8 | (48.4 - 70.3) | 121 | 63.3 | (51.5 - 73.8) | 140 |
| 12th | 68.2 | (58.5 - 76.5) | 189 | 69.6 | (58.6 - 78.8) | 102 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 17 | - | - | 12 | - | - | 5 |
| Hispanic/Latino | - | - | 51 | - | - | 26 | - | - | 25 |
| White* | 63.8 | (59.4 - 68.0) | 835 | 61.8 | (55.9 - 67.4) | 413 | 65.9 | (60.4 - 71.1) | 421 |
| All other races | - | - | 27 | - | - | 16 | - | - | 11 |
| Multiple races | - | - | 25 | - | - | 17 | - | - | 7 |

Note: 41 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.