



Maryland Weekly Influenza Surveillance Activity Report

A summary of influenza surveillance indicators reported to DHMH for the week ending October 25, 2014

Prepared by the Office of Infectious Disease Epidemiology and Outbreak Response
 Infectious Disease Bureau – Prevention and Health Promotion Administration
 Maryland Department of Health and Mental Hygiene

The data presented in this document are provisional and subject to change as additional reports come in.

SUMMARY

During the week ending October 25, 2014, influenza-like illness (ILI) intensity in Maryland was **MINIMAL** and there was **LOCAL** geographic activity. The proportion of outpatient visits for ILI reported by Sentinel Providers did not change from last week, while the proportion reported by Emergency Departments slightly decreased. The proportion of MRITS respondents experiencing ILI also decreased. Clinical laboratories saw a small dip in the proportion of specimens testing positive for influenza. The DHMH lab had 6 specimens test positive for influenza – 4 were Type A (H3N2) and 2 were Type B. A total of 6 influenza-associated hospitalizations were reported. There were 2 pneumonia outbreaks. Nationally, influenza activity is low.


[Click here to visit our influenza surveillance web page](#)

ILI Intensity Levels
✓ Minimal
Low
Moderate
High

Influenza Geographic Spread
No Activity
Sporadic
✓ Local
Regional
Widespread

ILINet Sentinel Providers


Sixteen sentinel providers reported a total of 10,804 visits this week. Of those, 102 (0.9%) were visits for ILI. This is **below** the Maryland baseline of **2.0%**.



ILI Visits To Sentinel Providers By Age Group	This Week Number (%)	Last Week Number (%)	Season Number (%)
Age 0-4	39 (38%)	25 (27%)	110 (29%)
Age 5-24	44 (43%)	44 (48%)	169 (45%)
Age 25-49	9 (9%)	12 (13%)	63 (17%)
Age 50-64	8 (8%)	7 (8%)	22 (6%)
Age ≥ 65	2 (2%)	3 (3%)	11 (3%)
Total ILI Visits	102 (100%)	91 (100%)	375 (100%)

Visits to Emergency Departments for ILI

Emergency Departments in Maryland reported a total of 45,572 visits this week through the [ESSENCE surveillance system](#). Of those, 621 (1.4%) were visits for ILI.



ILI Visits To Emergency Departments By Age Group	This Week Number (%)	Last Week Number (%)	Season Number (%)
Age 0-4	189 (30%)	193 (28%)	708 (28%)
Age 5-24	216 (35%)	235 (34%)	920 (36%)
Age 25-49	139 (22%)	168 (25%)	607 (24%)
Age 50-64	52 (8%)	57 (8%)	215 (8%)
Age ≥ 65	25 (4%)	29 (4%)	106 (4%)
Unknown	0 (0%)	0 (0%)	1 (<1%)
Total ILI Visits	621 (100%)	682 (100%)	2557 (100%)

Other states' influenza information:



- Delaware <http://dhss.delaware.gov/dph/epi/influenzahome.html>
- District of Columbia <http://doh.dc.gov/service/influenza>
- Pennsylvania [http://www.portal.state.pa.us/portal/server.pt/community/influenza_\(flu\)/14161](http://www.portal.state.pa.us/portal/server.pt/community/influenza_(flu)/14161)
- Virginia <http://www.vdh.state.va.us/Epidemiology/Surveillance/Influenza/>
- West Virginia <http://dhr.wv.gov/oeps/disease/flu/Pages/fluSurveillance.aspx>

Maryland Weekly Influenza Surveillance Activity Report

A summary of influenza surveillance indicators reported to DHMH for the week ending October 25, 2014


Community-based Influenza Surveillance (MRITS and Google Flu Trends)

MRITS is the Maryland Resident Influenza Tracking System, a weekly survey for influenza-like illness (ILI). A total of 605 residents responded to the [MRITS survey](#) this week. Of those, 8 (1.3%) reported having ILI and missing a cumulative 18 days of regular daily activities. According to [Google Flu Trends](#), influenza activity is "Low" in Maryland.




Clinical Laboratory Influenza Testing

Thirty-two clinical laboratories reported performing 554 influenza diagnostic tests, mostly rapid influenza diagnostic tests (RIDTs). Of those, 10 (1.8%) were positive for influenza. Of those testing positive, 5 (50.0%) were influenza Type A and 5 (50.0%) were influenza Type B. The [reliability of RIDTs](#) depends largely on the conditions under which they are used. False-positive (and true-negative) results are more likely to occur when the disease prevalence in the community is low, which is generally at the beginning and end of the influenza season and during the summer.




Positive Rapid Flu Tests by Type	This Week Number (%)	Last Week Number (%)	Season Number (%)
Type A	5 (50%)	8 (50%)	16 (43%)
Type B	5 (50%)	8 (50%)	21 (57%)
Total	10 (100%)	16 (100%)	37 (100%)



State Laboratories Administration Influenza Testing

The DHMH Laboratories Administration performed a total of 74 PCR tests for influenza and 6 (8.1%) specimens tested positive for influenza. Of those, 4 (66.7%) were Type A (H3N2) and 2 (33.3%) were Type B. PCR testing is more reliable than RIDT. The DHMH testing identifies subtypes of influenza A, information that is not available from the RIDT results. The table below summarizes results by type and subtype.



Positive PCR Tests by Type (Subtype)	This Week Number (%)	Last Week Number (%)	Season Number (%)
Type A (H1)	--	--	--
Type A (H3)	4 (67%)	--	5 (56%)
Type A (H3N2v)	--	--	--
Type B	2 (33%)	1 (100%)	4 (44%)
Total	6 (100%)	1 (100%)	9 (100%)

Where to get an influenza vaccination


Interested in getting a flu vaccine for the 2014-15 influenza season? Go to <http://dhhm.maryland.gov/flum/d/SitePages/getvaccinated.aspx> and click on your county/city of residence. You will be redirected to your local health department website for local information on where to get your flu vaccine.

Maryland Weekly Influenza Surveillance Activity Report

A summary of influenza surveillance indicators reported to DHMH for the week ending October 25, 2014

Influenza-associated Hospitalizations


This week, hospitals in Maryland reported 6 influenza-associated hospitalizations. (A person with an overnight hospital stay along with a positive influenza test of any kind, e.g. RIDT or PCR, is considered an “influenza-associated hospitalization” for purposes of influenza surveillance.)



Influenza-Associated Hospitalizations by Age Group	This Week Number (%)	Last Week Number (%)	Season Number (%)
Age 0-4	1 (17%)	2 (40%)	5 (23%)
Age 5-17	--	--	--
Age 18-24	--	--	--
Age 25-49	1 (17%)	--	2 (9%)
Age 50-64	2 (33%)	1 (20%)	6 (27%)
Age ≥ 65	2 (33%)	2 (40%)	9 (41%)
Total	6 (100%)	5 (100%)	22 (100%)

Outbreaks of Respiratory Disease

There were 2 pneumonia outbreaks reported to DHMH this week. (Disease outbreaks of any kind are reportable in Maryland. Respiratory outbreaks may be reclassified once a causative agent is detected, e.g. from ILI to influenza.)



Respiratory Outbreaks by Type	This Week Number (%)	Last Week Number (%)	Season Number (%)
Influenza	--	--	--
Influenza-like Illness	--	--	--
Pneumonia	2 (100%)	--	3 (100%)
Other Respiratory	--	--	--
Total	2 (100%)	--	3 (100%)

National Influenza Surveillance (CDC)

During week 43 (October 19-25, 2014), influenza activity was low in the United States.

- **Viral Surveillance:** Of 7,449 specimens tested and reported by U.S. World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 43, 320 (4.3%) were positive for influenza.
- **Pneumonia and Influenza Mortality:** The proportion of deaths attributed to pneumonia and influenza (P&I) was below the epidemic threshold.
- **Influenza-associated Pediatric Deaths:** No influenza-associated pediatric deaths were reported.
- **Outpatient Illness Surveillance:** The proportion of outpatient visits for influenza-like illness (ILI) was 1.4%, which is below the national baseline of 2.0%. All 10 regions reported ILI below region-specific baseline levels. One state experienced low ILI activity; Puerto Rico, New York City and 49 states experienced minimal ILI activity; and the District of Columbia had insufficient data.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Guam was reported as widespread; one state reported regional activity; Puerto Rico and eight states reported local activity; the U.S. Virgin Islands and 32 states reported sporadic activity; and the District of Columbia and nine states reported no influenza activity.

